




AQUAZONE

WASHROOM ESSENTIALS



AQUAZONE

DUBAI : +971 4 5076000
ABU DHABI : +971 2 6282800
DOHA : +974 44380200
RIYADH : +966 11 4164685

Specialising in plumbing and drainage solutions for hospitality, commercial, institutional and residential premises, AQUAZONE offers a complete range of sanitaryware and accessories suitable for any project.

Combining style with function the AQUAZONE collection encompasses every area of washroom design, from soap dispensers and hand dryers through to brassware and accessories. All this alongside a range of high performance stainless steel solutions that not only create a quality impression but are durable, long-lasting and functional too.

AQUAZONE is a member of the SANIPEX GROUP - a market leading supplier of quality bathrooms, tiles and plumbing materials with 20 years industry experience.

AQUAZONE is not alone in offering high quality washroom solutions. Its sub-brands, AQUADRAIN and AQUAECO are also well established in the Middle East and export markets, supplying some of the most prestigious projects around the world.

AQUAECO

AQUADRAIN

ASI

BAGNODESIGN
LONDON

Billi



dyson

■ GEBERIT



INDEX

BRASSWARE

IX304	6-9
Dyson	10-11
Vado	12-13
Dolphin	14-15
Aquaeco	16
Basin Mixers	17-23
Water Savers	24

WASTES, TRAPS AND ANGLE VALVES

Basin Wastes	25-27
Bottle Traps	28
Angle Valves	29-30

ACCESSORIES

IX304	32-35
Hotel	36-37
Shower Seats	38
Soap Dispensers	39-40
ASI Washroom Accessories	41-44
Mirrors	45-46

HAND DRYERS

Dyson	48-49
Aquaeco	50
ASI	51-52

SUPPORTIVE SOLUTIONS

Aquaeco	54-61
ASI	62

HYGIENE SOLUTIONS

Bidet Sprays	64-65
Bidet Solution Seats	66

FLUSHING SOLUTIONS

Aquaeco	68-79
Dolphin	79
Geberit	80-81
WC Panels	82

URINAL SOLUTIONS

BagnoDesign	84-85
Aquaeco	86
Dolphin	86
Geberit	87

SANITARYWARE

Kudos Dream	89
Corsair	90
Hotel	91
Kudos Cube/2	92
Undercounter Basins	93
Semi-Recessed Basins	94
Countertop Basins	95-96
Stainless Steel Sinks	97
Cleaners Sinks	98

FLOOR DRAINS & CHANNELS

Tile and Shower Channels	100-102
Tile Drains	103
Shower & Floor Drains	104-108

BRASSWARE

brassware





Stainless Steel Mono Basin Mixer
with Push Type Waste
with 3/8" Flexible Tubes
158 mm High
Brushed Stainless Steel
Code: AQM-IX3-301-SS



Stainless Steel Mono Tall Basin Mixer
with Pop-up Waste
with 1/2" Flexible Tubes
288 mm High
Brushed Stainless Steel
Code: AQM-IX3-302-SS



Stainless Steel Mono Extended Basin Mixer
with Pop-up Waste
with 1/2" Flexible Tubes
338 mm High
Brushed Stainless Steel
Code: AQM-IX3-303-SS



Stainless Steel Mono Basin Mixer
with Push Type Waste
with 3/8" Flexible Tubes
189 mm High
Brushed Stainless Steel
Code: BDM-AQU-111914-A-SS



Stainless Steel Mono Tall Basin Mixer
with Push Type Waste
with 3/8" Flexible Tubes
327 mm High
Brushed Stainless Steel
Code: BDM-AQU-111921-A-SS



Stainless Steel One Piece Concealed
Basin Mixer
Spout Length 225 mm
Brushed Stainless Steel
Code: AQM-IX3-305-SS




Stainless Steel Wall Mounted Spout
Spout Length 455 mm
Brushed Stainless Steel
Code: AQM-IX3-470-SS



Stainless Steel Self Closing Basin Mixer
with 1/2" Connection
3s Runtime
Delivers 0.42L @ 4 Bar Operating Pressure
Brushed Stainless Steel
Code: AQM-IX3-306-SS



Stainless Steel Wall Mounted
Self Closing Basin Mixer
3s Runtime
Delivers 0.42L @ 4 Bar Operating Pressure
Brushed Stainless Steel
Code: AQM-IX3-307-SS



Wall Shower Arm
with 1/2" Connection
332 mm Length
Stainless Steel Grade 304
Code: BDD-MLI-3 | 2033-A-NB



Stainless Steel Round Slimline
Shower Head
with 1/2" Connection
Stainless Steel Grade 304
Dia. 203 mm
Code: BDD-MLI-1 | 15020-A-NB



Stainless Steel Round Slimline
Shower Head
with 1/2" Connection
Stainless Steel Grade 304
Dia. 300 mm
Code: BDD-MLI-1 | 150230A-NB



Stainless Steel Slide Rail Kit
 Consists of:
 Stainless Steel Round Slide Rail
 Single Function Stainless Steel Hand
 Shower
 Stainless Steel Hose 1500 mm
 Stainless Steel
 Code: AQM-IX3-K515-SS



Stainless Steel Concealed Shower Mixer
 Brushed Stainless Steel
 Code: AQM-IX3-410-SS



Stainless Steel Wall Outlet and Bracket
 1/2"
 Brushed Stainless Steel
 Code: AQM-IX3-602-SS



Stainless Steel Wall Outlet 1/2"
 Brushed Stainless Steel
 Code: AQP-IX3-604-SS

brassware

dyson airblade



brassware

Airblade™ hand drying technology in a tap

Wash and dry hands at the sink with Airblade™ technology in a tap, hands can be dried at the sink in 12 seconds. There's no need to move to a separate drying area.

How it works

Both water and air are sensor operated so there are no taps to turn, or buttons to touch. Intelligent infrared sensors emit light to pinpoint hand positions. Computer circuitry coordinates the information and initiates the appropriate response of water or air without long delays.

It's been tested for 365,000 cycles, and is mains powered, so there are no batteries to run out.

Airblade™ hand drying technology in a tap

Wash and dry hands at the sink

Water and air from the tap.

12 second dry time

Sheets of air travelling at 430 mph scrape water from hands like a windscreen wiper.

The most hygienic hand dryer

A HEPA filter removes 99.9% of bacteria from the air used to dry hands.

Costs less to run

Dries 15 pairs of hands for the price of a single paper towel.¹

NSF approved

No other hand dryer meets every part of NSF Protocol 335.

HACCP approved

Certified hygienic for use in the food and beverage industry.



Small carbon footprint

Dyson Airblade™ hand dryers produce up to 72% less CO₂ than some other hand dryers and up to 68% less than paper towels.²

No water on the floor

There's no need to leave the sink to dry hands, so water isn't dripped on to the floor.

Saves space

No separate hand drying area needed.

Touch-free operation

Intelligent infrared sensors activate water and air.

Saves water

Controlled water flow rate and sensor operation save water.

Easy to service

Quick to disconnect motor bucket and filter.

Quick to clean

Smooth stainless steel outer, wipes down directly over the sink – no separate hand dryers to clean.

dyson airblade



Dyson Airblade Taps

Touch-free Infra-red Activation, Drying Time - 12 seconds, IP35 Rating, HEPA Filter, 220-253V, 1600 W Power Rating, Air Speed - 430 mph, Water Flow Rate - 4L/min, Aerated Water Outlet, Mains Operated



brassware



Wall Mounted
295 x 306 mm
Brushed Stainless Steel
Code: DYN-ABI11W-SS



Deck Mounted - Short
285 x 160 x 280 mm
Brushed Stainless Steel
Code: DYN-AB09S-SS



Deck Mounted - Tall
290 x 307 x 280 mm
Brushed Stainless Steel
Code: DYN-ABI10T-SS

* Thermostatic Mixers Recommended for Airblade Tap Water Temperature Control (Not Included)



Life
Deck Mounted Mono Wash Basin Mixer
Mains or Battery Operated
takes Standard AA Batteries
Recommend EBI-PRO-5001 for Mixed Water
Chrome
Code: EBI-IR-100-LIF-CP



Wall Mounted Infrared Spout with Round Backplate
 Mains or Battery Operated
 takes Standard AA Batteries
 Recommend EBI-PRO-5001 for Mixed Water
 Chrome
 Code: EBI-IR-WSPOUT-CP



Deck Mounted Infrared Spout with Round Backplate
 Mains or Battery Operated
 takes Standard AA Batteries
 Recommend EBI-PRO-5001 for Mixed Water
 Chrome
 Code: EBI-IR-DSPOUT-CP



Ascent
Deck Mounted Infrared Mono Basin Mixer
 Mains or Battery Operated
 takes Standard AA Batteries
 Recommend EBI-PRO-5001 for Mixed Water
 Chrome
 Code: EBI-IR-100-ASC-CP



Zoo
Deck Mounted Mono Wash Basin Mixer
 Mains or Battery Operated
 takes Standard AA Batteries
 Recommend EBI-PRO-5001 for Mixed Water
 Chrome
 Code: EBI-IR-100-ZOO-CP



Zoo
Wall Mounted Wash Basin Mixer with Round Back Plate
 Mains or Battery Operated
 takes Standard AA Batteries
 Recommend EBI-PRO-5001 for Mixed Water
 Chrome
 Code: EBI-IR-109-ZOO-CP



Notion
Wall Mounted Wash Basin Mixer with Square Back Plate
 Mains or Battery Operated
 takes Standard AA Batteries
 Recommend EBI-PRO-5001 for Mixed Water
 Chrome
 Code: EBI-IR-109-NOT-CP



Protherm In-line Thermostatic Valve with Ceramic Cartridge
 3/4" Inlet, 1/2" Outlet
 Supplied with 3/4" to 1/2" Adaptor Fittings
 Recommended for use with all Infrared Mixers except EBI-IR-100-ZOOT-CP
 Chrome
 Code: EBI-PRO-5001-W-NP



Zoo
Deck Mounted Mono Wash Basin Mixer with Adjustable Temperature Control
 Mains or Battery Operated
 takes Standard AA Batteries
 Chrome
 Code: EBI-IR-100-ZOOT-CP



Wall Mounted Infrared Tap
6 L/min Flow Rate
Mains or Battery Operated
Spout Length 170 mm

Chrome
Code: DBC-DB1525C-CP

Brushed Nickel
Code: DBC-DB1525S-NB



Wall Mounted Infrared Tap
3.8 L/min Flow Rate
Mains or Battery Operated
Spout Length 231 mm

Chrome
Code: DBC-DB725C-CP



Wall Mounted Infra-red Soap Dispenser
Includes a One Litre Soap Bottle and
Bottle Support.
Optional for Remote Installation:
Extension Cable and Longer Piping.

Chrome
Code: DBC-BC635C-CP

Brushed Nickel
Code: DBC-BC635S-NB



Deck Mounted Infrared Tap
3.8 L/min Flow Rate
Mains or Battery Operated

Chrome
Code: DBC-DB125C-CP

Brushed Nickel
Code: DBC-DB125S-NB



Deck Mounted Infrared Soap Dispenser
Powered By 9V Transformer
Includes One Litre Refillable Plastic Container
Easy to Use Refill Button, Bottle Support Kit
Available for Remote Installation

Chrome
Code: DBC-BC633C-CP

Brushed Nickel
Code: DBC-BC635S-NB



Wall Mounted Soap Dispenser
250 ml (not Infra-red)

Satin Stainless Steel
Code: DBC-BC360-SS

Polished Stainless Steel
Code: DBC-BC360B-SS



Wall Mounted Infrared Tap
5 L/min or 1.89 L/min Flow Rate
Mains or Battery Operated
Spout Length 220 mm

Polished Chrome
Code: DBC-DB1425C-CP

Brushed Nickel
Code: DBC-DB1425S-NB



Wall Mounted Infra-red Soap Dispenser
Powered by 9V Transformer
Includes One Litre Refillable Plastic Container
Spout Length 120 mm

Chrome
Code: DBC-BC632C-CP

Brushed Nickel
Code: DBC-BC632S-NB




Behind Mirror Modular System

The Dolphin Behind Mirror Modular System is the NEW solution to an age old problem. This modular system has been developed for all types of applications with input from our clients, architects, designers, contractors and facilities staff.

When designing a washroom, much time can be spent designing the hand washing area. Dolphin has seriously reduced design and installation time by bringing a fully integrated modular unit to the project with everything fitted and even including clever extras not available until now.

This modular unit incorporates all the facilities needed to wash, soap and dry your hands standing in the same position, including the latest technology for infrared sensor taps, high speed low energy hand dryers and infra-red foam soap system. The ‘plug and play’ design of the module minimises the time spend designing, constructing and servicing this area, with the only requirements being a structural-ly sound wall of almost any construction plus hot and cold water connections and electricity supply.

This radical new modular system saves time, water, energy, soap, space and money.



brassware

Note: Please Contact the Sales Team for further details



Deck Mounted Infrared Liquid Soap Dispenser
1500 ml
Battery Box and Soap Bottle Included
Chrome
Code:AQE-WRM-252-C-CP

Deck Mounted Infrared Basin Spout
Battery and Mains Operated
Infrared Sensing Distance 50-200 mm
1/2" Connection
Recommend EBI-PRO-5001 for Mixed Water
Chrome
Code:AQM-WRM-321-CP

push taps

brassware



Stainless Steel Self Closing Basin Mixer
with 1/2" Connection
3s Runtime
Delivers 0.42L @ 4 Bar Operating Pressure
Brushed Stainless Steel
Code:AQM-IX3-306-SS



Stainless Steel Wall Mounted
Self Closing Basin Mixer
3s Runtime
Delivers 0.42L @ 4 Bar Operating Pressure
Brushed Stainless Steel
Code:AQM-IX3-307-SS



Eco-Push
Self-Closing Tap
8s Runtime
Delivers 0.78L @ 4 Bar Operating Pressure
Chrome
Code:AQE-ECO-711112-A-CP



Eco-Push
Self-Closing Tap
6s Runtime
Delivers 0.6L @ 4 Bar Operating Pressure
Chrome
Code:AQE-ECO-711113-A-CP



Eco-Push
Self-Closing Tap
8s Runtime
Delivers 0.71L @ 4 Bar Operating Pressure
Chrome
Code:AQE-ECO-711110-A-CP



Eco-Push
Wall Mounted Self-Closing Tap
14s Runtime
Delivers 2L @ 4 Bar Operating Pressure
Chrome
Code:AQE-ECO-712109-A-CP



Eco-Push
Self-closing Urinal Flush
3.5s Run Time
Delivers 0.5L @ 4 Bar Operating Pressure
Chrome
Code:AQE-ECO-612200-A-CP



Eco-Push
Concealed Shower Mixer
12s Runtime
Delivers 2L @ 4 Bar Operating Pressure
Chrome
Code:AQE-ECO-512100-A-CP



Protherm In-line Thermostatic Valve
with Ceramic Cartridge
3/4" Inlet, 1/2" Outlet
Supplied with 3/4" to 1/2" Adaptor Fittings
Recommended for use with
all Infrared Mixers
Code:EBI-PRO-5001-W-NP



brassware



Kudos Cube
Mono Basin Mixer
with Pop-up Waste
with 1/2" Flexible Tubes
Chrome
Code: BDM-CUB-111514-A-CP



Kudos Cube
Mono Tall Basin Mixer
without Pop-up Waste
with 1/2" Flexible Tubes
287 mm High
Chrome
Code: BDM-CUB-111529-A-CP



Kudos Cube
3 Hole Deck Mounted Basin Mixer
without Pop-up Waste
[Requires 1/2" Flexible Tubes]
Chrome
Code: BDM-CUB-131109-A-CP



Kudos Cube
Concealed Basin Mixer
without Pop-up Waste
Spout Length 172 mm
Chrome
Code: BDM-CUB-112117-A-CP



M-Line

Mono Basin Mixer
with Pop-up Waste
with 1/2" Flexible Tubes
Available in Chrome, Brushed Nickel
and Matt Black
Code: BDM-MLI-111515-A-



M-line

Mono Tall Basin Mixer
with Pop-up Waste
with 1/2" Flexible Tubes
289 mm High
Available in Chrome, Brushed Nickel
and Matt Black
Code: BDM-MLI-111564-A-



M-line

Concealed Basin Mixer
without Pop-up Waste
Spout Length 170 mm
Available in Chrome, Brushed Nickel
and Matt Black
Code: BDM-MLI-112017-A-

brassware




M-line

Floor Mounted Basin Mixer
961 mm High
(Floor to Spout)
Available Chrome and Brushed Nickel
Code: BDM-MLI-306-

MIXER FINISHES



Chrome



Brushed Nickel



Matt Black



Berlin

Mono Basin Mixer
with Pop-up Waste
with 1/2" Flexible Tubes
Chrome
Code: BDM-BER-111515-A-CP




Stratos

Mono Basin Mixer
with Pop-up Waste
with 1/2" Flexible Tubes
Chrome
Code: BDM-STR-301-CP



Stratos

Mono Tall Basin Mixer
without Pop-up Waste
with 1/2" Flexible Tubes
285mm High
Chrome
Code: BDM-STR-302-CP



brassware



Palma
Mono Basin Mixer
with Pop-up Waste
with 1/2" Flexible Tubes
Chrome
Code: BDM-PAL-111513-A-CP



Palma
Mono Bidet Mixer
with Pop-up Waste
with 1/2" Flexible Tubes
Chrome
Code: BDM-PAL-211509-A-CP



Palma
Exposed Bath Shower Mixer
without Shower Kit
Chrome
Code: BDM-PAL-422217-A-CP



Palma
Exposed Shower Mixer
without Shower Kit
Chrome
Code: BDM-PAL-522214-A-CP



Palma
Concealed Shower Mixer
Chrome
Code: BDM-PAL-512115-A-CP



Palma
Concealed Shower Mixer
with Diverter
Chrome
Code: BDM-PAL-412119-A-CP



Palma
Shower Head
with 1/2" Connection
Dia. 230 mm
with 260 mm Arm
Chrome
Code: BDD-PAL-552-CP

Shower Head Only
Chrome
Code: BDD-PAL-511-CP



Palma
Slide Rail Kit
Consists of:
Slide Rail
Single Function Hand Shower
Soap Dish
1500 mm Hose
Chrome
Code: BDD-PAL-K5150-A-CP



Palma
Shower Column
with Fixed Shower Head
Dia. 203 mm
with Hand Shower
with Diverter
with Spout
Chrome
Code: BDM-PAL-514-CP



Palma
Single Hole Kitchen Sink Mixer with
Swivel Spout
with 1/2" Flexible Hoses
Chrome
Code: BDM-PAL-361-CP

brassware



Phase

Single Lever Wash Basin Mixer
without Pop-up Waste
with 1/2" Flexible Tubes
Chrome
Code: EBI-PHA-100-SB-CP



Ion

Single Lever Wash Basin Mixer
with Push Waste
with 1/2" Flexible Tubes
Chrome
Code: EBI-ION-100-CP

As Above
without Push Waste
Code: EBI-ION-100-SB-CP



Ascent

Single Lever Wash Basin Mixer
with Push Waste
with 1/2" Flexible Tubes
Chrome
Code: EBI-ASC-100-CC-CP

As Above
without Push Waste
Code: EBI-ASC-100-SB-CP



Chelsea

Single Lever Wash Basin Mixer
with Pop-up Waste
with 1/2" Flexible Tubes
Chrome
Code: EBI-CHE-100-CP



Matrix

Single Lever Wash Basin Mi
with Pop-up Waste
with 1/2" Flexible Tubes
Chrome
Code: EBI-MAT-EB-100-CP



brassware





Instant Boiling and Chilled Filtered Drinking Water Systems

Enjoy crystal-clear, great tasting filtered drinking water. No more waiting for the kettle to boil. No need to buy, chill and dispose of bottled water. Get luxurious filtered chilled or boiling water instantly from the tap.



brassware

Note: Please Contact the Sales Team for further details

WATER SAVING SOLUTIONS

- Reduce your water consumption considerably using AQUAECO's range of aerators and connection fittings with flow-limiting devices from Neoperl.
- Minimal effect to the function of the mixer or shower, does not hamper performance.
- Installing flow-limiting devices can result in a 40-50% cut in water consumption.
- AQUAECO offers four types of reducers from Neoperl, detailed in the table below.



brassware



Code:
NEO-40-1059
NEO-40-2058
NEO-40-1056

Aerator Flow Reducer (insert only)

1.8 l/min
3.8 l/min
5.7 l/min

Suitable for Basins & Bidet Mixers with M22, F22, and M24, F24 Connections



Code:
NEO-A5-2213
NEO-A5-2217
NEO-A5-2223
NEO-A5-2226

1/2" x 1/2" Inline Flow Reducer

4 l/min
6 l/min
9 l/min
12 l/min

Suitable for any 1/2" Inline Connection



Code:
NEO-58-8632
NEO-58-8634
NEO-58-8636
NEO-58-8639
NEO-58-8642

Flexi Washer Flow Regulator

2 l/min
4 l/min
6 l/min
9 l/min
12 l/min

Suitable for Flexi Tails or Flexible Hoses and Shower Heads (Female Thread)



Code:
NEO-58-9086
NEO-58-9088
NEO-58-9091
NEO-58-9094

Flexi Insert Flow Regulator

4 l/min
6 l/min
9 l/min
12 l/min

Suitable for Hand Showers, Bib Taps and Shower Arms (Male thread)





Push Type Wash Basin Waste
with Hole for Overflow
1 1/4" - Slotted
60 mm Length
Chrome
Code: PEX-389S-CP



Push Type Wash Basin Waste
without Hole for Overflow
1 1/4" - Un-Slotted
60 mm Length
Chrome
Code: PEX-389-NS-CP



Push Type Wash Basin Waste
with Hole for Overflow
1 1/4" - Slotted
85 mm Length
Chrome
Code: PEX-389L-S-CP



Push Type Wash Basin Waste
without Hole for Overflow
1 1/4" - Un-Slotted
85 mm Length
Chrome
Code: PEX-389L-NS-CP



Free Flow Always Open
Waste without Overflow
Hole 1/4"
60 mm Length
Chrome
Code: PEX-309-CP



Vertical Pop-up Waste
1 1/4"
Chrome
Code: EBI-ELE-PUW-V-CP



wastes and traps



Push Type Wash Basin Waste
1 1/4" - Non-Slotted
60 mm Length
Available in Chrome, Bronze,
Brushed Nickel, Gold, Copper, Polished
Nickel and Matt Gold
Code: BDP-WBB-200-NS-



Push Type Wash Basin Waste
1 1/4" - Slotted
60 mm Length
Available in Chrome, Bronze,
Brushed Nickel, Gold, Copper, Polished
Nickel and Matt Gold
Code: BDP-WBB-205-S-



Always Open Wash Basin Waste
1 1/4"
100 mm Length
Available in Chrome, Bronze,
Brushed Nickel, Gold, Copper, Polished
Nickel and Matt Gold
Code: BDP-WBB-300-



Push Type Wash Basin Waste
1 1/4" - Non-Slotted
Ceramic Top
60 mm Length
Available White and Matt Black
Code: BDP-WBB-201-NS-



Push Type Wash Basin Waste
1 1/4" - Slotted
Ceramic Top
60 mm Length
Available in White and Matt Black
Code: BDP-WBB-206-S-



Always Open Wash Basin Waste
Ceramic Top
1 1/4"
100 mm Length
White
Code: BDP-WBB-301-WH



Always Open Wash Basin Waste
1 1/4"
60 mm Length
Brushed Stainless Steel
Code: AQE-IX3-300-SS



Push Type Wash Basin Waste
1 1/4" - Slotted
95 mm Length
Brushed Stainless Steel
Code: AQE-IX3-301-SS



Grid Freeflow Waste
1 1/4"
60 mm Length
Available in Chrome, Bronze, Brushed
Nickel and Copper
Code: BDP-WBB-302-



Waste Extension
50 mm Long
1 1/4"
Available in Chrome, Bronze, Brushed
Nickel and Gold
Code: BDP-WBB-EXT50-

FINISHES:



Chrome



Bronze



Brushed
Nickel



Gold



Copper



Polished
Nickel



Matt
Gold


bottle traps



Luxury Brass Bottle Trap
320 mm Pipe
1 1/4" x 1 1/4"
Available in Chrome, Brushed Nickel
and Gold
Code: BDP-BTR-120-



Brass Bottle Trap
280 mm Pipe
1 1/4" x 1 1/4"
Available in Chrome, Bronze, Brushed
Nickel, Gold, Copper, Polished Nickel
and Matt Gold
Code: BDP-BTR-140-



Space Saver Bottle Trap Designed to
Maximise Vanity Unit Draw Space
Can be Cut to Suit
1 1/4"
White
Code: BDP-TRP-120-WH

bottle traps



wastes and traps



Luxury Contemporary Bottle Trap
Length of Pipe 400 mm
1 1/4" x 1 1/4"
Chrome
Code: PEX-461-1-1/4-CP



Luxury Square Bottle Trap
Length of Pipe 250 mm
1 1/4" x 1 1/4"
Chrome
Code: PEX-461-1-1/4-SQ-CP



Bottle Trap
1 1/4" x 1 1/4"
Chrome

200 mm Outlet Pipe
Code: PEX-460-1-1/4-200-CP

400 mm Outlet Pipe
Code: PEX-460-1-1/4-400-CP



Shallow Brass Bottle Trap for Bidet
Length of Pipe 250 mm
1 1/4" x 1 1/4"
Chrome
Code: PEX-462-1-1/4-CP



Bottle Trap
Length of Pipe 200 mm
1 1/4" x 1 1/4"
Chrome
Code: PEX-480-CP



Bidet Pipe
1 1/4" x 250 mm
Chrome
Code: PEX-485-CP

FINISHES:



Chrome



Bronze



Brushed
Nickel



Gold



Copper



Polished
Nickel



Matt
Gold



Contemporary Quarter Turn Angle Valve
with 10 mm Compression Nut
Includes Integrated Filter
1/2" x 3/8"
Chrome
Code: PEX-221-CP



Contemporary Quarter Turn Angle Valve
Includes Integrated Filter
1/2" x 1/2"
Chrome
Code: PEX-230-CP



Square Quarter Turn Angle Valve
1/2" x 1/2"
Chrome
Code: PEX-232-CP



Mini Angle Valve
1/2" x 1/2"
Chrome
Code: PEX-225-CP



Mini Angle Valve
with 10 mm Compression Nut
1/2" x 3/8"
Chrome
Code: PEX-228-CP



Luxury Angle Valve
with 10 mm Compression Nut
1/2" x 1/2"
Chrome
Code: PEX-226-CP



Angle Valve with Tricorn Handle
Supplied with Both Hot & Cold Indices
1/2" x 1/2"
Chrome
Code: PEX-229F-CP



Angle Valve with Tricorn Handle
Supplied with Both Hot & Cold Indices
1/2" x 3/8"
Chrome
Code: PEX-236-CP



Quarter Turn Angle Valve
Supplied with both Hot and Cold Indices
1/2" x 1/2"
Chrome
Code: PEX-233-CP



Quarter Turn Angle Valve
with 10 mm Compression Nut
Supplied with both Hot and Cold Indices
1/2" x 3/8"
Chrome
Code: PEX-234-CP



Luxury Angle Valve
1/2" x 1/2"
Available in Chrome, Bronze,
Brushed Nickel and Gold
Code: BDP-ANG-122-A-



Luxury Square Angle Valve
1/2" x 1/2"
Available in Chrome, Brushed Nickel
and Gold
Code: BDP-ANG-422-A-



Angle Valve
1/2" x 1/2"
Stainless Steel
Code: BDP-ANG-122-A-SS



Angle Valve
1/2" x 1/2"
Available in Chrome, Bronze, Brushed
Nickel, Gold, Copper and Polished Nickel
Code: BDP-PRI-155-A-



Angle Valve
1/2" x 3/8"
Available in Chrome, Bronze, Brushed
Nickel, Gold, Copper and Polished Nickel
Code: BDP-PRI-158-A-

angle valves

FINISHES:



Chrome



Bronze



Brushed
Nickel



Gold



Copper



Polished
Nickel

ACCESSORIES





Stainless Steel Wall Mounted
Soap Dish and Holder
118 x 129 x 65 mm
Brushed Stainless Steel
Code: BDA-IX3-602-A-SS



Stainless Steel Toilet Roll Holder
with Cover
135 x 54 x 128 mm
Brushed Stainless Steel
Code: BDA-IX3-522-A-SS



Stainless Steel Toilet Roll Holder
without Cover
135 x 54 x 106 mm
Brushed Stainless Steel
Code: BDA-IX3-512-A-SS



Counter Recessed Liquid Soap Dispenser
500 ml
Dia. 63 x 333 mm
Brushed Stainless Steel
Code: AQA-IX3-101-SS



Stainless Steel Spare Toilet
Roll Holder
50 x 69 x 162 mm
Brushed Stainless Steel
Code: BDA-IX3-502-A-SS



Stainless Steel Towel Rail
650 x 62 x 50 mm
Brushed Stainless Steel
Code: BDA-IX3-712-A-SS



Stainless Steel Towel Rack
with Hanging Rail
600 x 239 x 127 mm
Brushed Stainless Steel
Code: BDA-IX3-712-B-SS



Stainless Steel Towel Ring
180 x 55 x 200 mm
Brushed Stainless Steel
Code: BDA-IX3-702-A-SS



Stainless Steel Single Robe Hook
50 x 48 x 50 mm
Brushed Stainless Steel
Code: BDA-IX3-412-A-SS



Stainless Steel Wall Mounted
Door Stop with Hook
45 x 76 x 45 mm
Brushed Stainless Steel
Code: BDA-IX3-452-A-SS



Stainless Steel Double Robe Hook
81 x 57 x 50 mm
Brushed Stainless Steel
Code: BDA-IX3-422-A-SS



Stainless Steel Floor Mounted
Door Stop
Dia. 40 x 40 mm
Brushed Stainless Steel
Code: BDA-IX3-651-A-SS



Stainless Steel Wall Mounted
Toilet Brush and Holder
95 x 118 x 350 mm
Brushed Stainless Steel
Code: BDA-IX3-152-A-SS





Wall Mounted Double Toilet Roll Holder
with Spindle System
with Cylinder Lock and Key
Stainless Steel Grade 304
Thickness 1.0 mm
146 x 151 x 310 mm
Stainless Steel
Code: AQA-IX3-712-D-SS



Wall Mounted Waste Bin
with Lock and Key
Stainless Steel Grade 304
Thickness 1.0 mm
295 x 168 x 460 mm
Stainless Steel
Code: AQA-IX3-732-SS



Recessed Wall Mounted Paper Towel
Dispenser and Waste Bin
with Cylinder Lock and Key
Stainless Steel Grade 304
Thickness 1.0 mm
347 x 131 x 710 mm
Stainless Steel
Code: AQA-IX3-731-SS



Wall Mounted Towel Dispenser
with Cylinder Lock and Key
Stainless Steel Grade 304
Thickness 1.0 mm
270 x 110 x 300 mm
Stainless Steel
Code: AQA-IX3-711-SS



Wall Mounted Liquid Soap Dispenser
with Infrared Sensor
Battery Operated
800 ml
Stainless Steel Grade 304
Thickness 1.0 mm
110 x 110 x 260 mm
Stainless Steel
Code: AQA-IX3-701-SS



Wall Mounted Touch Free Electronic
Warm Air Hand Dryer; with Infrared
Sensor; Mains Operated
Stainless Steel Grade 304
Thickness 1.0 mm
1800 Watts, 220-240V, 50/60Hz
IPX1 Rating
270 x 160 x 212 mm
Stainless Steel
Code: AQA-IX3-737-SS

Stainless Steel Grade 304 Complies to
EU Directive EN 10088-2
IEC EN 60335-1;
IEC EN 60335-2-23



Note: Stainless Steel Grade 304 Complies to EU Directive EN 10088-2





Single Robe Hook
48 x 26 x 26 mm
Chrome
Code: BDA-HOT-412-A-CP



Single Robe Hook
30 x 12 x 12 mm
Chrome
Code: BDA-HOT-412-B-CP



Double Robe Hook
82 x 60 x 70 mm
Chrome
Code: BDA-HOT-422-A-CP



Grab Bar
350 x 80 x 50 mm
Chrome
Code: BDA-HOT-302-A-CP



Towel Ring
196 x 70 x 151 mm
Chrome
Code: BDA-HOT-702-A-CP



Towel Rail
686 x 75 x 65 mm
Chrome
Code: BDA-HOT-712-A-CP



Toilet Roll Holder with Cover
139 x 62 x 138 mm
Chrome
Code: BDA-HOT-522-A-CP



Spare Toilet Roll Holder
70 x 75 x 210 mm
Chrome
Code: BDA-HOT-502-A-CP



Concealed (in Wall)
Toilet Paper Holder
158 x 84 x 162 mm
Polished Stainless Steel
Code: BDA-HOT-512-A-SS



Concealed (in Wall)
Twin Toilet Roll Holder
300 x 162 x 72 mm
Polished Stainless Steel
Code: BDA-HOT-522-B-SS



Concealed (in Wall)
Twin Toilet Roll Holder
72 x 162 x 300 mm
Polished Stainless Steel
Code: BDA-HOT-522-D-SS



Wall Mounted Design Line Shower Seat
Foldable Seat with Brass Fixing Plate
370 x 380 x 70 mm

Black/Chrome
Code: BDA-AQU-052-A-BK

White/Chrome
Code: BDA-AQU-052-A-WH

Conforms to BS EN 12520:2010



Design Line Shower Seat
Aluminium Chrome Plated
370 x 370 x 480 mm

Black/Chrome
Code: BDA-AQU-152-A-BK

White/Chrome
Code: BDA-AQU-152-A-WH

Conforms to BS EN 12520:2010

accessories





accessories



Counter Recessed Liquid Soap Dispenser
500 ml
120 x 70 x 380 mm
Chrome
Code: BDA-HOT-611-A-CP



Counter Recessed Liquid Soap Dispenser
500 ml
130 x 70 x 350 mm
Chrome
Code: BDA-HOT-611-B-CP



Wall Mounted Liquid Soap Dispenser
Stainless Steel Grade 304
Thickness 1.0 mm
Chrome

500 ml
94 x 58 x 150 mm
Code: AQE-5825-SS

1000 ml
120 x 68 x 205 mm
Code: AQE-5827-SS



Wall Mounted Liquid Soap Dispenser
150 ml
50 x 100 x 160 mm
Chrome
Code: BDA-HOT-612-C-CP



Wall Mounted Liquid Soap Dispenser
Removable Fixing
Chrome
300 ml
Ø70 x 80 x 210 mm
Code: BDA-AQU-612-A-CP

500 ml
Ø80 x 90 x 250 mm
Code: BDA-AQU-702-CP



Wall Mounted Liquid Soap Dispenser
250 ml
60 x 80 x 180 mm
Chrome
Code: BDA-HOT-612-B-CP



Wall Mounted Liquid Soap Dispenser
250 ml
60 x 100 x 180 mm
Chrome
Code: BDA-HOT-612-D-CP



Countertop Liquid Soap Dispenser
150 ml
50 x 90 x 160 mm
Chrome
Code: BDA-HOT-613-A-CP



Countertop Liquid Soap Dispenser
250 ml
60 x 90 x 180 mm
Chrome
Code: BDA-HOT-613-B-CP



Automatic Liquid Soap Dispenser
Surface Mounted
Battery-Operated Soap Dispenser
1000 ml
140 x 102 x 276 mm
Stainless Steel
Code:ASI-10-20364-SS



Automatic Foam Soap Dispenser
Surface Mounted
Battery-Operated Soap Dispenser
1000 ml
140 x 102 x 276 mm
Stainless Steel
Code:ASI-10-20365-SS



Automatic Soap Dispenser
Proximity Sensor; Battery Operated
with Special Lock And Key
1000 ml
113 x 124 x 235 mm
Available in Satin Stainless Steel
and Stainless Steel
Code:ASI-10-0360-



All Purpose Liquid Soap Dispenser
Counter Mounted
1000 ml
Spout Length 102 mm
Bright Stainless Steel
Code:ASI-10-0332-SS



Vertical Liquid Soap Dispenser
Surface Mounted
1200 ml
100 x 205 x 135 mm
Satin Stainless Steel
Code:ASI-10-0347-SS



Paper Towel Dispenser and Waste Bin Combination
Surface Mounted
440 x 1370 x 150 mm
Satin Stainless Steel
Code: ASI-10-6462-9-SS



Paper Towel Dispenser and Waste Bin Combination
Recessed
360 x 710 x 100 mm
Satin Stainless Steel
Code: ASI-10-64623-SS



Paper Towel Dispenser and Removable Waste Bin Combination
Recessed
440 x 1430 x 126 mm
Satin Stainless Steel
Code: ASI-10-20469-SS



Paper Towel Dispenser
Recessed
324 x 711 x 99 mm
Satin Stainless Steel
Code: ASI-10-20452-SS



Paper Towel Dispenser
Surface Mounted
281 x 345 x 124 mm
Satin Stainless Steel
Code: ASI-10-20210-SS



Paper Towel Dispenser
Surface Mounted
280 x 370 x 102 mm
Satin Stainless Steel
Code: ASI-10-0210-SS



Tissue Dispenser with Waste Bin
Recessed
400 x 1390 x 185 mm
Satin Stainless Steel
Code: ASI-10-04697-SS



Tissue Dispenser with Waste Bin
Recessed
325 x 670 x 110 mm
Satin Stainless Steel
Code: ASI-10-0462-AD-SS



Waste Bin with Lid
1 Gallon
Surface Mounted
185 x 253 x 89 mm
Satin Stainless Steel
Code: ASI-10-20852-SS



Waste Bin 7 Gallons
Surface Mounted
355 x 430 x 165 mm
Satin Stainless Steel
Code: ASI-10-0828-SS



Waste Bin 12.8 Gallons
Surface Mounted
384 x 584 x 216 mm
Satin Stainless Steel
Code: ASI-10-20826-SS



Surface Mounted Baby Changing Station
 300 kg Load Capacity
 with Concave Changing Surface
 with Safety Strap
 with Easy Opening/Closing Pneumatic Mechanism
 with Built-in Dispenser and Hooks
 570 x 920 x 520 mm
 Ivory
 Code:ASI-10-9012



Wall Mounted Single Robe Hook
 51 x 51 x 51 mm
 Satin Stainless Steel
 Code:ASI-10-7340-SS



Double Robe Hook
 Surface Mounted
 40 x 100 mm
 Satin Stainless Steel
 Code:ASI-10-7345-S



Wall Mounted Towel Bar
 24" Length
 Surface Mounted
 610 mm
 Bright Stainless Steel
 Code:ASI-10-7355-24-BS



Wall Mounted Soap Dish
 110 x 50 x 100 mm
 Bright Stainless Steel
 Code:ASI-10-7320-BS



Wall Mounted Toilet Roll Holder
 Recessed
 160 x 160 mm
 Bright Stainless Steel
 Code:ASI-10-7402-D-BS



Wall Mounted Toilet Roll Holder
 200 x 50 x 100 mm
 Satin Stainless Steel
 Code:ASI-10-7305-SS



| M-Line

accessories

**Bilbao**

Illuminated LED Mirror
with Integrated Lighting at all 4 Edges
with Feature Aluminium Frame
with Sensor Switch, On/Off
Mains Operated, 220-240V
600 x 600 mm
Code: BDR-BIL-060-AL

**M-Line**

Illuminated LED Mirror
with Integrated Strips at Long Edges
with Feature Aluminium Frame
with No Touch Sensor Switch, On/Off
Mains Operated, 220-240 V
500 x 800 mm
Code: BDR-MLI-325080-A-CL

**M-Line**

Illuminated LED Mirror
with Integrated Strips at Long Edges
with Feature Aluminium Frame
with No Touch Sensor Switch, On/Off
Mains Operated, 220-240 V
1450 x 420 mm
Code: BDR-MLI-324214-A-CL

**Vision**

Contemporary Illuminated Mirror with 3 Integrated Fluorescent Frosted Lighting Strips at Left, Centre & Right Sides with Metal Frame with No Touch Sensor Switch, On/Off Mains Operated, 220-240 V

1200 x 700 mm

Code: BDR-VIS-231270-A-CL

1600 x 700 mm

Code: BDR-VIS-231670-A-CL

**Anja**

Illuminated Mirror with Integrated Fluorescent Frosted Lighting Strip at Top with Metal Frame with Rocker Switch, On/Off Mains Operated, 220-240 V 1200 x 600 mm

Code: BDR-ANJ-231260-A-CL

**Palma**


Palma Illuminated Mirror with Integrated Fluorescent Frosted Lighting Strip at Top with Rounded Corners with Metal Frame with Rocker Switch, On/Off Mains Operated, 220-240 V 400 x 600 mm

Code: BDR-PAL-334060-A-CL

**Christine**

Illuminated Mirror with Integrated Fluorescent Frosted Lighting Strips at Left & Right Sides with Metal Frame with Rocker Switch, On/Off Mains Operated, 220-240 V 800 x 700 mm

Code: BDR-CHR-231085-A-SV

**York**


Illuminated Mirror - Round with Integrated Circular Frosted Lighting with Feature Metal Frame with No Touch Sensor Switch, On/Off Mains Operated, 220-240 V Dia. 600 mm

Code: BDR-YOR-136060-A-CL

**Holborn**

Mirrored Cabinet Silver Anodized Aluminum One Double Sided Mirror Door Mirrored Back Wall 5 Adjustable Glass Shelves Right/Left Reversible 400 x 150 x 1500 mm

Code: BDR-HOL-214015-A-CL




HAND DRYERS

Reduced air rush noise

With a sound power level of 82 dB(A), the Dyson Airblade dB hand dryer is 50% quieter than the original Dyson Airblade™ hand dryer.

Airblade™ technology results in air travelling at 430 mph through apertures measuring just 0.4 mm in width. Some noise is inevitable.

Dyson engineers have reduced the noise produced by the sheets of air by redesigning the shape of the apertures through which air is forced.



hand dryers

How it works

- 1 Dirty washroom air is sucked in by the Dyson digital motor V4.
- 2 It passes through a HEPA filter, removing 99.9% of the bacteria.
- 3 The filtered air passes over the electronics, cooling them.
- 4 The air then reaches the motor, which channels it up and through the machine.
- 5 Air passes into the air ducts which are insulated to reduce noise.
- 6 It's then forced through two apertures – creating sheets of air travelling at 430 mph.
- 7 The two sheets of air literally scrape water from hands.



Powered by the latest Dyson digital motor



Fastest, 10 second dry time

Sheets of air travelling at over 430mph / 690km/h scrape water from the front and back of hands, simultaneously.

The most hygienic hand dryer

Fastest dry time. A HEPA filter removes 99.9% of bacteria from the air used to dry hands.

Costs less to run

Dries 18 pairs of hands for the price of a single paper towel.¹

NSF approved

No other hand dryers meet every part of NSF Protocol 335.

HACCP approved

Hygienically safe for use in the food and beverage industry.

Small carbon footprint

Dyson Airblade™ hand dryers produce at least 67% less CO2 than some other hand dryers and 62% less than paper towels.²

Touch-free operation

Infrared sensors operate air.

Antimicrobial coating

Eliminates up to 99.9% of surface bacteria.

Tough and durable

Robust, vandal-proof design.

¹ For calculations visit dysonairblade.ae/calcs

² Based on LCA results of Dyson Airblade™ hand dryer with method developed in conjunction with Carbon Trust, and comparable results from T. Montalbo, J. Gregory, R. Kirchain, Life Cycle Assessment of Hand Drying Systems (A Dyson commissioned study 2011). Data taken from U.S environmental statistics including electricity grid mix and recycling practices.

dyson airblade

Dyson Airblade dB

Hand Dryer
 Polycarbonate-ABS Casing
 Acoustically re-engineered to reduce noise
 Touch-free Infra-red Activation,
 Drying Time - 10 seconds,
 Casing with Anti-microbial Lacquer
 Coating on Exterior Surface,
 IPX5 Rating,
 HEPA H12 Filter,
 220-253V,
 1600 W Power Rating,
 Air Speed - 430 mph
 300 x 640 x 240 mm

Grey
 Code: DYN-ABI4-GY



White
 Code: DYN-ABI4-WH



Dyson Airblade V

Hand Dryer
 Touch-free Infra-red Activation,
 Drying Time - 10 seconds,
 Polycarbonate Casing,
 Antimicrobial ABI2 Coated to Main Surface,
 IP24 Rating,
 HEPA Filter,
 220-253V,
 1600 W Power Rating,
 Air Speed - 430 mph
 390 x 100 x 230 mm

Sprayed Nickel
 Code: DYN-ABI2-NK



White
 Code: DYN-ABI2-WH



hand dryers





Automatic Hand Dryer
with Rotating Nozzle
Sensor Activated
2300 Watts
220-240 V, 50/60 Hz
IPX1 Rating
Stainless Steel Type 304
Polished Stainless Steel
Code: AQE-WRM-652-A-SS



Automatic High Speed Hand Dryer
Infrared Sensor Activated
1800 Watts
220-240 V, 50/60 Hz
IPX1 Rating
Stainless Steel Type 304
278 x 171 x 325 mm
Satin Stainless Steel
Code: AQE-WRM-652-B-SS



IX304
Wall Mounted Touch Free Electronic
Warm Air Hand Dryer
with Infrared Sensor
Mains Operated
Stainless Steel Grade 304
Thickness 1.0 mm
1800 Watts
220-240V, 50/60Hz
IPX1 Rating
270 x 160 x 212 mm
Stainless Steel
Code: AQA-IX3-737-SS

Stainless Steel Grade 304 Complies to EU
Directive EN 10088-2
IEC EN 60335-1;
IEC EN 60335-2-23



hand dryers



TRI-Umph™

Quick Drying - Approx. 12 Seconds
 Ergonomic - No Need to Bend Over or Bend Knees
 Air Blows Down and Back from Vents on Three Sides
 No Water Splash-Back
 Ultra Hygienic - Over 99% of Airborne Bacteria is Eliminated with the Removable Super Filter System
 208-240 V
 322 x 588 x 197 mm
 ABS Plastic with Silver Ions
 Code:ASI-10-20200-2-SS



Roval™

Steel Cover with Porcelain Enamel Finish
 Quick Drying - Under 25 Seconds
 No Touch - Energy Efficient Operation
 Universal Voltage - Automatically Adjusts to Voltages of 100 to 240VAC - 50/60 Hz
 Modern Design and Durable

White
 Code:ASI-10-0185

Bright Stainless Steel
 Code:ASI-10-0185-92-BS

Satin Stainless Steel
 Code:ASI-10-0185-93-SS



Turbo-Tuff™

Recessed Mounted Hand Dryer
 Operates Automatically using Infrared Sensor with 18 Gauge Type 304 Stainless Steel Alloy 18-8
 Cover Hand Drying Chamber
 Satin Stainless Steel
 Code:ASI-10-0134-2-SS



Turbo-Dri™

High Speed Hand Dryer
 Quick Drying - Less than 12 seconds
 Operates Automatically using Infrared Sensor, Auto-Resetting Thermostat, 60-Second Automatic Shut off,
 Cover Fabricated of Heavy-Duty, One-Piece-Formed Stainless Steel
 Satin Stainless Steel
 Code:ASI-10-0197-2-93-SS



ADA Compliant Surface Mounted High-Speed Dryer; Operates Automatically using Infrared Sensor; Quick Drying - Less than 15 seconds, One piece 18 Gauge Stainless Steel Cover
 Satin Stainless Steel
 Code:ASI-10-0199-2-93-SS



Recessed Combo Three-in-One Paper Towel Dispenser with Waste Receptacle and Automatic Electric Hand Dryer
 Hold and Dispense 500 Standard Multi-Fold or 400 Standard C-Fold Paper Towels
 Waste Capacity 26 L
 Operates Automatically using Infrared Sensor
 Satin Stainless Steel
 Code:ASI-10-64672-2-SS

DISABILITY SUPPORTIVE SOLUTIONS



disability supportive solutions



Illusion
 Wall Mounted Wash Basin
 Semi-Punched for One Tap Hole
 without Overflow
 300 x 380 x 150 mm
 Ice White
 Code: AQE-MED-412-WH

Wash Basin Fixing Kit
 Code: BFK-BASIN-KIT



Illusion
 Wall Mounted Wash Basin
 Semi-Punched for 3 Tap Holes
 without Overflow
 700 x 600 x 160 mm
 Ice White
 Code: AQE-MED-413-WH

Wash Basin Fixing Kit
 Code: BFK-BASIN-KIT



Illusion
 Back to Wall
 with Floor/Wall Outlet
 370 x 580 x 480 mm
 Ice White
 Code: AQE-MED-312-WH

Seat with Cover
 Code: AQE-MED-332-WH

Seat without Cover
 Code: AQE-MED-333-WH

Universal Fixing Kit Type I with L Bracket
 Code: BFK-UNI I -KIT



Illusion
 Wall Hung WC
 with Extended Projection
 370 x 700 x 380 mm
 Ice White
 Code: AQE-MED-313-WH

Seat with Cover
 Code: AQE-MED-332-WH

Seat without Cover
 Code: AQE-MED-333-WH

Side Fixing Kit
 Code: BFK-UNI5-KIT

disability supportive solutions





disability supportive solutions



Contemporary Sequential Spray Lever Handle Wash Basin Mixer without Pop-up Waste Chrome
Code: AQE-MED-101-CP



Cloak Room Wash Basin One Tap Hole with Overflow
455 x 305 x 170 mm
White
Code: AQE-MED-410-WH



Disability Wall Mounted Wash Basin One Tap Hole with Overflow
675 x 530 x 215 mm
White
Code: AQE-MED-411-WH

Wash Basin Fixing Kit
Code: BFK-BASIN-KIT

Wash Basin Fixing Kit
Code: BFK-BASIN-KIT

disability supportive solutions



Contract
Child WC P-Trap 43
302 x 435 x 315 mm
Code: AQE-MED-311-WH

Child Seat without Cover
Code: AQE-MED-336-BK

Straight WC Connector
Code: MUL-MKS2

Universal Fixing Kit Type 2
Code: BFK-UNI2-KIT



Wall Mounted WC with Extended Projection
370 x 700 x 375 mm
White
Code: AQE-MED-314-WH

Seat without Cover
Code: AQE-MED-330-WH

Side Fixing Kit
Code: BFK-UNI5-KIT



Contract
Raised Height Disabled WC
Projection Range 590-670 mm
360 x 472 x 390 mm
White
Code: AQE-MED-310-WH

Tank and Lid, White
Code: AQE-MED-325-WH

Dual Flush Mechanism and Handle
Code: BFK-UNI8-KIT

WC Flush Pipe
Code: AQE-MED-327-WH

Fixing Bracket for Cistern
Code: AQE-MED-040-WH

Union Connector (Nut) for Cistern
Code: AQE-MED-061-WH

Flush Pipe Connector
Code: AQE-MED-070-WH

Padded Cushion and Back Rail, White
Code: AQE-MED-053-WH

Straight WC Connector
Code: MUL-MKS2

Universal Fixing Kit Type 2
Code: BFK-UNI2-KIT

Open Front Seat (without cover), White
Code: AQE-MED-331-WH



Aquaeco
Medical Acrylic Inset Bath Tub with Built in Seat
1200 x 750 x 420 mm
Code: AQE-MED-800-WH

Recommended Waste
BDP-WBT-110-55-B-CP
(Bath Pop-up Waste)



disability supportive solutions



IX304
 Stainless Steel Wall Mounted
 Foldable Shower Seat
 with White Polyethylene Seat
 484 x 526 x 115 mm
 Brushed Stainless Steel
 Code: AQE-MED-052-SS



IX304
 Stainless Steel Wall Mounted
 Foldable Shower Seat
 with Phenolic Seat
 Brushed Stainless Steel
 484 x 526 x 101 mm
 Code: AQE-MED-051-SS



IX304

Stainless Steel Straight Grab Bar
Dia. 32 mm
Brushed Stainless Steel

300 mm Length
Code: AQE-MED-203-SS

600 mm Length
Code: AQE-MED-206-SS

900 mm Length
Code: AQE-MED-209-SS



IX304

Stainless Steel Grab Bar
Dia. 32 mm
with Center Fixing Point
1200 x 95 x 78 mm
Brushed Stainless Steel
Code: AQE-MED-212-SS



IX304

Stainless Steel Foldable Grab Bar
with Toilet Roll Holder
100 x 850 x 249 mm
Brushed Stainless Steel
Code: AQE-MED-285-SS

without Toilet Roll Holder
Code: AQE-MED-286-SS



Right Hand Version

IX304

Stainless Steel 90° Angled Bar
Dia. 32 mm
415 x 95 x 70 mm
Brushed Stainless Steel

with Right Handle
Code: AQE-MED-240-SS

with Left Handle
Code: AQE-MED-241-SS



DOC M3 PACK

Grab Bars and Backrest
Consisting of:
- Padded Backrest x 1
- 600 mm Grab Bar x 3
- Foldable Grab Bar
with Toilet Roll Holder x 1
Brushed Stainless Steel
Code: AQE-MED-287-SS



DOC M 6 Lite
Low Level Disabled Set

Consisting of:

- Low Level HO Pan
- 6 Litre Cistern and Spatula Cistern Lever
- Disabled Toilet Seat (Ring Only)
- Wash Hand Basin
- 1 1/4" Chrome Basin Waste
- SF Basin Brackets x 2
- Sequential Spray Mixer
- 600 mm Grab Rails x 4
- Drop Down Rail with Toilet Roll Holder
- Back Rest Rail and Cushion x 1
- 1 1/4" Bottle Trap

White

Code: AQE-MED-710-WH

disability supportive solutions



Folding Shower Seat
with Wall Support
445 x 460 x 408 mm
Stainless Steel
Code: ASI-10-8203



Swing-up Grab Bar
Length 762 mm
Stainless Steel
Code: ASI-10-3413-SS



Straight Bar
32 mm O.D
with 3 Support Point
Horizontal or Vertical Installation
1200 mm Length
Stainless Steel
Code: ASI-10-3702-48-SS



Straight Support Bar
32 mm O.D
Horizontal or Vertical Installation
Stainless Steel

300 mm Length
Code: ASI-10-3701-12-SS

600 mm Length
Code: ASI-10-3701-24-SS

900 mm Length
Code: ASI-10-3701-36-SS

HYGIENE SOLUTIONS

hygiene solutions



FINISHES:



Chrome



Bronze



Brushed
Nickel



Gold



Copper



Polished
Nickel



M-Line

Bidet Spray Mixer
(without Bidet Spray Kit)
Available in Chrome and Brushed Nickel
Code: BDM-MLI-212180-A-



Smooth

Bidet Spray Mixer
(without Bidet Spray Kit)
Chrome
Code: BDM-SMO-212180-A-CP



Princess Nouveau

Bidet Spray Mixer
(without Bidet Spray Kit)
Available in Chrome, Bronze, Brushed Nickel, Gold, Copper and Polished Nickel
Code: BDM-PRI-212180-A-



M-Line

Bidet Spray Kit
Consists of:
- Bidet Shower
- Double Interlock Brass Hose 1200 mm
- Wall Bracket
Available in Chrome and Brushed Nickel
Can be used with an Angle Valve or Bidet Spray Mixer
Code: BDD-MLI-SH1120-A-



Smooth

Bidet Spray Kit
Consists of:
- Bidet Shower
- Anti Twist Hose 1200 mm
- Wall Bracket
Can be used with an Angle Valve or Bidet Spray Mixer
Code: BDD-SMO-SH1120-A-CP



Princess Nouveau

Bidet Spray Kit
Consists of:
- Bidet Shower
- Flexible Brass Hose 1200 mm
- Wall Bracket
Can be used with an Angle Valve or Bidet Spray Mixer
Available in Chrome, Bronze, Brushed Nickel, Gold, Copper and Polished Nickel
Code: BDP-PRI-SH1120-A-



IX304

Bidet Spray Kit
Consists of:
- Bidet Shower in Stainless Steel
- Wall Bracket in Stainless Steel
Stainless Steel

with Flexible Stainless Steel Hose 1000 mm
Code: AQF-SHA-IX304-A-SS

with Flexible Stainless Steel Hose 1200 mm
Code: AQF-SHA-IX304-B-SS



Metreux

Bidet Spray Kit
Consists of:
- Bidet Shower
- Flexible Hose 1200 mm
- Wall Bracket
Code: BDD-MET-207-CP

Note : For Angle Valves Please see Pages 29-30



Corsair
 Seat and Cover
 with Bidet Function
 Rear Wash
 Feminine Wash
 Self Cleaning Nozzle
 Adjustable Wash Volume
 Soft Close Seat and Lid
 Quick Release and Installation Function
 383 x 500 x 60 mm
 White
 Code: BDS-DRE-701524-A-WH



Hotel
 Seat and Cover
 with Bidet Function
 Rear Wash
 Feminine Wash
 Self Cleaning Nozzle
 Adjustable Wash Volume
 Soft Close Seat and Lid
 Quick Release and Installation Function
 370 x 480 x 62 mm
 White
 Code: BDS-HOT-701524-A-WH

Suitable for Standard European WCs


hygiene solutions



Note: Please See Pages 90-91 for Suitable WC Options

FLUSHING SOLUTIONS


flushing solutions




Note : For Cisterns Please see Pages 75-77

FLUSH PLATE OPERATION 1

The sensor illumination comes on as soon as you approach the actuator plate within 1m distance.



When somebody places his/her hand in front of the full flush sensor on the left, the sensor lights up and a full flush is activated.




After 2 seconds





>2s

When somebody places his/her hand in front of the partial flush sensor on the right, the sensor lights up and a partial flush is activated




FLUSH PLATE OPERATION 2


When somebody stays in front of the actuator plate for more than 8s and then leaves beyond 1.2M, the full flush sensor on the left lights up and a full flush will be activated after 3s.



After another 7s, the sensor illumination goes off.



FLUSH PLATE OPERATION 3



For K5501E-Q actuator plate you can press the manual button to activate a full flush in case of power failure.



Electronic Dual Flush Plate
Fixation Bracket
Fast Fixation Push Rods
Pneumatic Flush Valve
Black Glass
Code: AQE-K5501E-G-BK



Electronic Dual Flush Plate
with Manual Override
Fixation Bracket
Fast Fixation Push Rods
Pneumatic Flush Valve
Black Glass
Code: AQE-K5501E-Q-BK

flushing solutions



Note : For Cisterns Please see Pages 75-77



Flush Plate (Dual Flush)
Polished Chrome
Code:AQE-K523 I-K-ESG2



Flush Plate (Dual Flush)
Matt Chrome
Code:AQE-K523 I-K-ESG I



Flush Plate (Dual Flush)
Gloss White
Code:AQE-K523 I-K-ESG3



Flush Plate (Dual Flush)
Matt Black
Code:AQE-K523 I-K-ESG4



Flush Plate (Dual Flush)
Polished Chrome
Code:AQE-K5 I32-K-ESG I



Flush Plate (Dual Flush)
Gold
Code:AQE-K5 I32-K-ESG I-GD



Flush Plate (Dual Flush)
Polished Nickel
Code:AQE-K5 I32-K-ESG I-PN



Flush Plate (Dual Flush)
Polished Chrome
Code: AQE-K5230-K-ESG2



Flush Plate (Dual Flush)
Gold
Code: AQE-K5230-K-ESG2-GD



Flush Plate (Dual Flush)
Polished Nickel
Code: AQE-K5230-K-ESG2-PN




Flush Plate (Dual Flush)
Gloss White
Code: AQE-K5230-K-ESG3-WH



Flush Plate (Dual Flush)
Matt Black
Code: AQE-K5230-K-ESG4-MB

flushing solutions



Note : For Cisterns Please see Pages 75-77



flushing solutions

Note : For Cisterns Please see Pages 75-77



Flush Plate (Dual Flush)
Chrome with Matt Chrome Trim
Code: AQE-K5130-K-ESG2



Flush Plate (Dual Flush)
Matt Chrome with Chrome Trim
Code: AQE-K5130-K-ESG4



Flush Plate (Dual Flush)
Stainless Steel
Code: AQE-K5080-K-ESG1



Flush Plate (Dual Flush)
Chrome
Code: AQE-K5031-K-ESG3



Flush Plate (Dual Flush)
Matt Chrome
Code: AQE-K5031-K-ESG2

flushing solutions



Note : For Cisterns Please see Pages 75-77

AQUAECO flushing solutions

- **More space:** Since concealed cisterns are built into the wall, they free up a considerable amount of bathroom space that would otherwise have been taken up by the cistern.
- **State-of-the-art technology and durability:** the AQUAECO range of concealed cisterns boasts hightech working parts to ensure trouble-free operation. All cisterns are WRAS tested and approved.
- **Design freedom:** Homeowners and designers can pair their choice of actuator or flush plate and wall-hung or floor-standing toilet pan to perfectly complement their bathroom's particular style and design.
- **Easy to clean and hygienic:** Concealed cisterns and wall-hung WC pans provide the ideal easy-to-clean and optimum hygiene solution – no obstacles to clean around or cisterns to clean under.
- **Good for the environment:** All AQUAECO cisterns contain a dual-flush mechanism, helping to reduce running costs by saving water – using as little as two litres of water for a half flush.
- **Noise reduction:** Since the cistern is built into the wall, any noise created by the process of flushing is significantly reduced, making this an ideal solution for en-suite bathrooms. This is also a key in any hospitality requirement.
- **Strength:** All AQUAECO cistern frames are designed and built to support up to 400 kg in weight.
- **Warranty:** All AQUAECO cisterns come with an impressive 10 year warranty.



flushing solutions



Low Height Concealed Cistern for Wall Hung WC Front or Top Operation
 Adjustable Dual Flush
 6/3L, 4.5/3L and/or 4/2L
 Frame 800 mm Height
 Installation Depth 167-200 mm
 Tank Depth 140 mm
 Galvanized Leg Supports, Adjustable from 0 - 20 cm
 Concealed Cistern Fully Insulated against Condensation
 For Installation in Dry Wall
 Water Supply Connection R 1/2"
 Flush Bend
 Protection Plug for Flush Pipes
 Protection Cover for Service Opening
 Threaded Rods M12 for Ceramics Fastening
 WC Connection Set, Dia. 90 mm
 WC Outlet Bend, PVC, Dia. 90/110 mm
 Fastening Material

Includes AQE-K5132-K-ESG1 Push Plate
 Code: AQE-K201-A01-ESG1-CP



Includes AQE-K5230-K-ESG2 Push Plate
 Code: AQE-K201-A01-ESG2-CP



Concealed Cistern for Wall Hung WC Front Operation
 Adjustable Dual Flush
 6/3L, 4.5/3L and/or 4/2L
 Frame Height 1140 mm
 Installation Depth 147-190 mm
 Tank Depth 120 mm
 Galvanized leg supports, Adjustable from 0 - 200 mm
 Concealed Cistern Fully Insulated against Condensation
 For Installation in Dry Wall
 Water Supply Connection R 1/2"
 Protection Plug for Flush Pipes
 Protection Cover for Service Opening
 Threaded Rods M12 for Ceramics Fastening
 WC Connection set, Dia. 90 mm
 WC Outlet Bend, PVC, Dia. 90/110 mm
 with WC Outlet Connector with Fixing Kit
 Code: AQE-K130-A01-ESG1



Concealed Cistern for Wall Hung WC Front Operation
 Adjustable Dual Flush
 6/3L, 4.5/3L and/or 4/2L
 Grey Universal Frame 1140 mm Height
 Installation Depth 90-110 mm
 Tank Depth 80 mm
 Galvanized Leg Support, Adjustable from 0 - 200 mm
 Concealed Cistern Fully Insulated against Condensation
 Water Supply Connection at the Top - R 1/2"
 Flush Bend included
 WC Connection Set, Dia. 90 mm
 WC Outlet Bend, PVC, Dia. 90 mm with WC Outlet Connector with Fixing Kit
 Code: AQE-K301-A01-ESG1

Note : For Flush Plates Please see Pages 69-74





Concealed Cistern
for Wall Hung WC Front Operation
Adjustable Dual Flush
6/3L, 4.5/3L and/or 4/2L
Frame 1095 mm Height
Installation Depth 90 mm
Tank Depth 80 mm
Galvanized Steel Frame
Concealed Cistern Fully Insulated
against Condensation
Water Supply Connection
at the Top - R 1/2"
Flush Bend Included
WC Outlet Bend, PVC, Dia. 90/110 mm
For Installation in Block Wall
with WC Outlet Connector
with Fixing Kit
Code: AQE-K301-B01-ESG I



Concealed Cistern
for Back to Wall WC Front Operation
Adjustable Dual Flush
6/3L, 4.5/3L and/or 4/2L
Tank Depth 80 mm
Concealed Cistern Fully Insulated
against Condensation
Water Supply Connection
at the Top - R 1/2"
Flush Bend included
Slotted flat irons for fixing
with Fixing Kit
Code: AQE-K301-D01-ESG I



Concealed Cistern for Furniture
with Dual Flush Mechanism and
Dual Flush Valve 6/3L and 5/3L
Chromated Push Button for Flexible
Installation
Adjustable Flush Bend
with Dual Flush Push Button
Installation Depth 220-380 mm
Installation Height 470-610 mm
with Fixing Kit
Code: AQE-B695-D2-ESG I



Bidet Support
Grey Universal Frame 1140 mm Height
Installation Depth 147-190 mm
Galvanized Leg Supports
Adjustable from 0 - 200 mm
Water Supply Connection R 1/2"
Inlet Position is Adjustable
from 60 - 350 mm
Bidet Outlet Cend, HDPE,
Dia. 30 - 46 mm
Fastening Distance 180 mm or 230 mm
with Fixing Kit
Code: AQE-K601-L4-ESG I



Side Inlet Mechanism
 Dual Flush - 3-6 Litres
 Adjustable Float - Variation 100 mm
 Pressure Ranges 0.3 - 10 bar
 Connections - 3/8" in brass to convert to 1/2" Plastic AQE-B9352-ESGI must be purchased
 Universal Installation for most European WC Cisterns
 Code: AQE-T001-SI



Bottom Inlet Mechanism
 Dual Flush - 3-6 Litres
 Adjustable Float - Variation 75 mm
 Pressure Ranges 0.3 - 10 bar
 Connections - 1/2" in plastic Available With or Without Refill Function
 Code: AQE-T001-BI



Side Inlet Fill Valve
 Code: AQE-T002-SI



Bottom Inlet Fill Valve
 Code: AQE-T002-BI



Mechanism Converter Kit
 Converts AQS-T001-SI Side Inlet Mechanism to be Used in a Back Inlet Cistern that has a Cut Out
 Includes Thread Converter, Clip and Flexible Hose
 Connects to 3/8" Male Connection
 Code: AQE-B9352-ESGI



**IX304**

WC Flush Valve with Infrared Sensor
 Adjustable Flush Timing
 Auto Adjust Flush Sensor Range
 Low Power Consumption -240 V, 50/60 Hz
 or 4 AA Batteries (108000 Cycles)
 24 Hour Hygienic Auto Flush
 Suitable for Concealed Installation
 Brushed Stainless Steel
 Code: AQP-IX3-865-SS

**WC Flush Valve with Infrared Sensor**

- Touch Free Proximity Sensor. Senses when user is present and flushes urinal when user walks away
- Quality chrome plated brass with option on all sensors of a polished or brushed (satin) finish
- Direct flush does not incorporate or work with cistern, this saves the bacteria growth associated with stored water
- Needs a 25mm feed
- Powered by 9v transformer
- Vandal resistant, ideal for educational institutions, detention centres, train stations
- Settings are adjustable using remote control (DB51) or manually
- Sensor features a low battery level indicator
- Mandatory Hygiene Flush recommended and available – please specify when ordering
- 2 year warranty
- Pressure: 0.5 - 8.0 bar (7-116 PSI)
- Power connections: shower: female / Power source: male


Code: DBC-DB615-CP

Code: DBC-DB615-NB

**WC Dual Flush Valve with Frame**

- For Installation with Wall-Hung Toilets.
- Note: Concealed Urinal Controls need a Minimum 1 Bar Supply.
- For Installation in Solid or Drywall Construction.
- Frame with Holes Ø 9 mm for Fastening in Wood Frame Construction.
- Galvanized Leg Supports, Adjustable Height : 0 - 200 mm.
- Frame with C Profile 40/40 mm.
- Powder-Coated, Blue Color.
- For Structures on the Floor, Leg Supports Retractable to -50 mm.
- Rotating Foot Plate.
- Frame Height from 1140 mm To 1340 mm, Depending on Toilet.
- Stop Valve with Throttle Pre-Mounted.
- Protection Cover that Protects the Service Opening Against Moisture and Dirt and can be Cut to Length.
- Supplied With all the needed Fixing Accessories.

Code: DBC-DB565F



Sigma 80
 Flush Plate
 with Black or Mirrored Glass
 Touchless Dual Flush
 without Mechanical Buttons
 Flush Indicator in 5 Different Colours
 Adjustable Interval and Automatic Flush
 Mains Operated
 for UP320 only
 Black Glass
 Code: GEB-116-090-SG-1

Electric Supply Unit
 Code: GEB-115-861-00-1



Sigma 10
 Infrared Flush Plate for WC
 (with manual override)
 Battery Operated
 for UP320 only
 Stainless Steel
 Code: GEB-115-891-SN-5



Sigma 10
 Infrared Flush Plate for WC
 (with manual override)
 Mains Operated
 for UP320 only
 Stainless Steel with Matt Chrome
 Code: GEB-115-890-SN-5

Electric Supply Unit
 Code: GEB-115-861-00-1

Note : For Cisterns Please see Page 81

flush plates




Sigma 60
 Flush Plate (Dual Flush)
 for UP320/UP720
 Code: GEB-115-792-GH-1



Sigma 50
 Flush Plate (Dual Flush)
 for UP320/UP720
 Smoked Glass
 Code: GEB-115-788-SD-5



Tango
 Flush Plate (Single Flush)
 for UP320/UP720
 Matt Chrome
 Code: GEB-115-760-46-1



Bolero
 Flush Plate (Dual Flush)
 for UP320/UP720
 Bright Chrome
 Code: GEB-115-777-21-1



Flush Plate (Dual Flush)
 Die Cast
 Brushed Chrome
 Code: GEB-115-932-GH-1



Omega 20
 Flush Plate (Dual Flush)
 Bright Chrome with
 Matt Chrome Trim
 Code: GEB-115-085-KH-1



Sigma 01
 Flush Plate (Dual Flush)
 for UP320/UP720
 Bright Chrome
 Code: GEB-115-770-21-5



Sigma 10
 Flush Plate (Dual Flush)
 Infrared User Detection
 Mains Operated
 for UP320 only
 White / Bright
 Chrome / White
 Code: GEB-115-907-KJ-1



UP320 Duofix Concealed Cistern
for Wall Hung WC
for Installation in Dry Wall
Construction
Installation Height Approx. 1120 mm
Thickness 120 mm
Code: GEB-111-300-00-5



UP720 Kombifix Concealed Cistern
for Wall Hung WC
For Installation in Block Wall
Construction
Installation Height Approx. 1100 mm
Thickness 80 mm
Code: GEB-110-772-00-1



UP720 Concealed Cistern
for Back to Wall WC
without Frame or Legs
Thickness 80 mm
Code: GEB-109-771-00-1



Omega
Concealed Cistern
for Back to Wall WC
without Frame and Legs
Top or Front Operated
Thickness 120 mm
Code: GEB-109-043-00-1



Duofix Element for Bidet
for Installation in Dry Wall or
Pre-Wall Construction
Covered with Panel (Gypsum
or Wood), for a Floor
Construction of 0-200 mm
Installation Height
Approx. 820 mm
Code: GEB-111-524-00-1



Wall Fixing Kit for Concealed Cisterns
Code: GEB-111-815-00-1

flushing solutions



WC Back Panel
Suitable for Any Front Operated
Concealed Cistern
600 x 19 x 1045 mm
(Flush Plate not Included)
Code: BDF-AXE-WCP-

*Suitable for any Back to Wall or Wall
Mounted Bidet with Frame



Gloss White



Gloss Black



Gloss Graphite



Gloss Caramel

URINAL SOLUTIONS



M-Line

Wall Mounted Urinal
with Fixing Kit
320 x 350 x 600 mm
White
Code: BDS-MLI-80241 I-A-WH

Outlet Drain with Grate
Code: BDP-WUR-333-GR-CP



Community

Wall Mounted Urinal
with Fixing Kit
310 x 390 x 600 mm
Ice White
Code: BDS-AQU-80251 I-A-WH

Inlet Pipe for Water Entry 1/2"
(Required if the flushing system
connects to a 1/2" flush pipe)
Code: BDP-AQU-INT12-A-BR

Siphon Trap
with Horizontal Outlet
Code: BDP-AQU-OUT12-A-YL



Essentials

Wall Mounted Urinal
with Siphon Trap and Spreader
with Water Inlet at the Back
with Fixing Kit
305 x 330 x 540 mm
White
Code: BDS-AQU-80201 I-B-WH



Illusion

Wall Mounted Urinal
with Integrated Inlet Spreader
with Fixing Kit
310 x 345 x 570 mm
Ice White
Code: BDS-ILU-802011-A-WH



Remo II

Concealed Trap Urinal
370 x 300 x 655 mm
White
Code: BDS-REM-800211-A-WH

Back Inlet Urinal Spreader
1/2" Connection
Chrome
Code: BDP-AQU-BIS15-A-CP

Chrome Plated Brass Grated Waste
with Top Kleen Access | 1/2"
63 mm Length
Chrome
Code: PEX-451-TK-CP

PVC Urinal Bottle Trap
1 1/2" x 200 mm
Chrome
Code: SNT-31-220-00-0000

Urinal Fixing Bracket
Code: BFK-URNL



Aqualiving

Urinal Partition
120 x 300 x 630 mm
White
Code: BDS-AQU-485-WH

Urinal Fixing Bracket
Code: BFK-URNL



Waterless Urinal Primary Pack
White
Code: CPS-WHIP-WH

Cartridge for Waterless Urinal
White
Code: CPS-WHIP-CATRIDGE

(only cartridge image shown)

* For use with Remo II or M-line
Models only



Ergo

Back to Wall Urinal
340 x 330 x 1110 mm
White
Code: GAL-7116-WH

Outlet Drain with Grate
Code: BDP-WUR-333-GR-CP

*Recommended Bottle Trap
OPPZB31004DB

**IX304**

Urinal Flush Valve with Infrared Sensor
Adjustable Flush Timing
Auto Adjust Flush Sensor Range
Low Power Consumption -240 V, 50/60 Hz
or 4 AA Batteries (108000 Cycles)
24 Hour Hygienic Auto Flush
Suitable for Exposed or Concealed
Installation
Brushed Stainless Steel
Code: AQP-IX3-851-SS



Urinal Flush Valve with Infrared Sensor
Activated by an Infrared Sensor. Shut-off valve,
Filter and a Low Battery Indicator Included.
A 24 Hours Hygiene Flush is Included. Metallic
panel in Satin Finish.
Powered 9V Transformer.
Metallic Panel in Satin Finish.

Code: DBC-DB560



Urinal Flush Valve with Infrared Sensor

- Touch Free Proximity Sensor. Senses when user is present and flushes urinal when user walks away
- Quality chrome plated brass with option on all sensors of a polished or brushed (satin) finish
- Direct flush does not incorporate or work with cistern, this saves the bacteria growth associated with stored water
- Needs a 15mm feed
- Powered by 9v transformer
- Vandal resistant, ideal for educational institutions, detention centres, train stations
- Settings are adjustable using remote control (DB51) or manually
- Sensor features a low battery level indicator
- Mandatory Hygiene Flush recommended and available – please specify when ordering
- 2 year warranty
- Pressure: 0.5 - 8.0 bar (7-116 PSI)
- Power connections: shower: female / Power source: male

Code: DBC-DB625-CP

Code: DBC-DB625-NB



Urinal Flush Plate with Infrared Sensor with Frame
for Wall Hung Urinal Installation

- For installation with wall-hung urinals
- Note: Concealed urinal controls need a minimum 0.5 bar supply.
- For installation in solid or drywall construction.
- Frame with holes \varnothing 9 mm for fastening in wood frame construction
- Galvanized leg supports, adjustable height : 0 - 200 mm
- Frame with C profile 40/40 mm
- Powder-coated , blue color
- For structures on the floor, leg supports retractable to -50 mm
- Rotating foot plate
- Frame height from 1000 mm to 1200 mm, depending on urinal
- Stop valve with throttle pre-mounted
- Protection cover that protects the service opening against moisture and dirt and can be cut to length.
- Supplied with all the needed fixing accessories

Code: DBC-DB560F



HyBasic

Infrared Urinal Electronic
Flush Control, Plastic Cover
Mains Operated, 230V
Chrome
Code: GEB-115-817-46-5

Housing for Electronic / Pneumatic
with Shut-off Valve, for
Concealed Installation in
Solid and Dry Wall
Construction
Code: GEB-115-801-00-5

Flush Pipe for Urinal
Code: GEB-119-704-16-1

PE Inlet set for Urinal
Code: GEB-152-489-16-1



Sigma 10

Pneumatic Urinal Flush Plate
Requires Universal Urinal
Requires Installation Set 116-004-00-1
Black/Gloss/Chrome/Black
Code: GEB-116-015-KM-1




Sigma 10

Electronic Urinal Flush Plate
Requires Universal Urinal
Mains Operated, 230V
Requires Installation Set 116-004-00-1
Black/Gloss/Chrome/Black
Code: GEB-116-025-KM-1



Sigma 50

Electronic Urinal Flush Plate
Requires Universal Urinal
Battery Operated
Requires Installation Set 116-004-00-1
Brushed Chrome
Code: GEB-116-036-GH-1



Universal Urinal Installation
Set for Concealed Installation in Solid
Construction with Concealed Housing
with Water Section, Protection Box
with Cover
Required for all 116 Push Plates
Code: GEB-116-004-00-1

Flush Pipe for Urinal
Code: GEB-119-704-16-1

PE Inlet set for Urinal
Code: GEB-152-489-16-1



SANITARYWARE



sanitaryware



Wall Mounted WC
[Fixing Kit Included
with Concealed Cistern]
360 x 560 x 280 mm
White
Code: BDS-DRE-602011-A-WH



Back to Wall WC
with Floor/Wall Outlet
[with Fixing Kit]
360 x 560 x 425 mm
White
Code: BDS-DRE-606011-C-WH



Close Coupled WC
with Floor/Wall Outlet
[with Fixing Kit]
360 x 650 x 425 mm
White
Code: BDS-DRE-401011-C-WH



Soft Close Seat and Cover
White
Code: BDS-DRE-701024-A-WH



Seat without Cover
White
Code: AQE-MED-330-WH

Close Coupled One Piece Cistern
with Mechanism
[with Fixing Kit]
360 x 180 x 430 mm
White
Code: BDS-DRE-301011-A-WH



Wall Mounted WC
[with Fixing Kit]
356 x 554 x 345 mm
White
Code: BDS-COR-602011-A-WH



Back to Wall WC
[with Fixing Kit]
356 x 554 x 380 mm
White
Code: BDS-COR-606011-A-WH



Soft Close Seat and Cover
White
Code: BDS-COR-701024-A-WH



Seat and Cover
with Bidet Function
Rear Wash
Feminine Wash
Self Cleaning Nozzle
Adjustable Wash Volume
Soft Close Seat and Lid
Quick Release and
Installation Function
383 x 500 x 60 mm
White
Code: BDS-DRE-701524-A-WH



sanitaryware



Wall Mounted WC
[Fixing Kit Included
with Concealed Cistern]
370 x 500 x 350 mm
Ice White
Code: BDS-HOT-6020 I I-A-WH



Back To Wall WC
with Floor/Wall Outlet
370 x 550 x 400 mm
Ice White
Code: BDS-HOT-6060 I I-A-WH

Universal Fixing Kit Type I with L
Bracket
Code: BFK-UNII-KIT



Close Coupled WC
with Floor/Wall Outlet
370 x 660 x 410 mm
Ice White
Code: BDS-HOT-4010 I I-A-WH

Universal Fixing Kit Type I with L
Bracket
Code: BFK-UNII-KIT

Close Coupled Cistern
(Semi-Punched to Allow for a Left or
Right Hand Bottom Inlet Float Valve)
340 x 180 x 440 mm
Ice White
Code: BDS-MAL-3010 I I-A-WH

Aquaeco Bottom Inlet Mechanism*
Code: AQE-T001-BI

Mechanism Converter Kit
Code: AQE-B9352-ESG I

*For Rear Inlet use AQE-T001-SI
+ AQE-B9352-ESG I



Seat and Cover
Ice White
Code: BDS-MAL-701020-B-WH

Soft Close Seat and Cover
Ice White
Code: BDS-MAL-701020-A-WH



Bidet Solution Seat
Rear Wash
Feminine Wash
Self Cleaning Nozzle
Adjustable Wash Volume
Soft Close Seat and Lid
Quick Release and Installation Function
1/2" Connection
370 x 480 x 62 mm
White
Code: BDS-HOT-701524-A-WH





Wall Mounted WC
[Fixing Kit Included
with Concealed Cistern]
360 x 420 x 365 mm
White
Code: BDS-CUB-502011-A-WH



Close Coupled WC
with Floor/Wall Outlet
[with Fixing Kit]
360 x 650 x 420 mm
White
Code: BDS-CUB-401011-A-WH

Close Coupled One Piece Cistern
with Mechanism
[with Fixing Kit]
360 x 180 x 430 mm
White
Code: BDS-DRE-301011-A-WH



Soft Close Seat and Cover
White
Code: BDS-CUB-701024-A-WH



Urban
Undercounter Wash Basin
with Overflow
550 x 380 x 200 mm
Ice White
Code: BDS-URB-106211-A-WH



Corsair
Undercounter Wash Basin
No Tap Hole
with Overflow
539 x 373 x 203 mm
White
Code: BDS-COR-106211-A-WH



Cube Rectangle
Undercounter Wash Basin
with Overflow
545 x 351 x 190 mm
White
Code: BDS-CUB-102611-A-WH



Cube Square
Undercounter Wash Basin
with Overflow
405 x 405 x 190 mm
Code: BDS-CUB-104611-A-WH



Remo II
Undercounter Wash Basin
with Overflow
570 x 411 x 210 mm
White
Code: BDS-REM-105611-A-WH



Remo Round
Undercounter Wash Basin
with Overflow
Dia. 405 x 175 mm
White
Code: BDS-REM-106511-A-WH



**Shallow Undercounter Wash Basin
with Overflow**
525 x 355 x 160 mm
White
Code: BDS-PRO-112211-J-WH

Undercounter Basin Fixing Kit
(Required for use with all the above)
Code: BFK-UCNT-KIT



sanitaryware



Smooth

Semi Recessed Wash Basin
with Overflow
550 x 470 x 155 mm

No Tap Hole

Code: BDS-SMO-I15547-A-WH

One Tap Hole

Code: BDS-SMO-I05547-A-WH



Hotel

Semi Recessed Wash Basin
with Overflow
650 x 460 x 190 mm

One Tap Hole

Code: BDS-HOT-I17011-A-WH

3 Tap Holes

Code: BDS-HOT-I27011-A-WH



Kudos Cube/2

Semi Recessed Wash Basin
One Tap Hole
with Overflow
550 x 450 x 180 mm

Code: BDS-CUB-I17011-A-WH

3 Tap Holes

Code: BDS-CUB-I37011-A-WH



Kudos Dream

Semi Recessed Wash Basin
One Tap Hole
with Overflow
560 x 470 x 160 mm

Code: BDS-DRE-I17011-A-WH



sanitaryware



Kudos Dream
Countertop/Semi-Inset Wash Basin
without Overflow
White

595 x 375 x 125 mm
Code: BDS-DRE-104211-A-WH

755 x 375 x 127 mm
Code: BDS-DRE-104211-B-WH



Berne
Countertop Wash Basin
without Overflow
557 x 396 x 184 mm
Code: BDS-BER-104111-A-WH



Madrid

Countertop Wash Basin
White

without Overflow
Dia. 415 x 165 mm
Code: BDS-MAD-101411-A-WH

with Overflow
Dia. 430 x 170 mm
Code: BDS-MAD-101411-B-WH



Prague

Countertop Wash Basin
One Tap Hole
with Overflow
Dia. 490 x 140 mm
Code: BDS-PRA-111411-A-WH



Corsair

Semi-Inset Wash Basin
One Tap Hole
with Overflow
560 x 430 x 190 mm
Code: BDS-COR-114211-A-WH

3 Tap Holes
Code: BDS-COR-134211-A-WH



sanitaryware



R18
 390 LUX okg
 Dia. 440 x 160 mm
 Polished Stainless Steel
 Individually Boxed
 1 x Waste
 No Connection Kit
 Code: REG-R18-390-OKG



Caribbean
 LUX osp Wash Basin
 Dia. 390 x 155 mm
 Polished Stainless Steel
 Individually Boxed
 1 x Waste
 No Connection Kit
 Code: REG-CAR-OSP-PIS



Wall Mounted Cleaners Sink
Practical Low Backed Sink
Acid and Alkali Glazed Surface
Stainless Steel Bucket Grating
Hardwood Pad
510 x 390 x 545 mm
with Stainless Steel Bucket Grid
White
Code: BDS-CLS-105350-A-WH

Bracket and Legs (Pair)
Aluminium
Code: BDS-CLS-903023-A-AL

Un-Slotted Waste
Chrome
Code: BDS-CLS-905123-A-CP



Wall Mounted Cleaners Sink
Glazed Inside and Outside
Without Tap Hole
Without Overflow,
With Fixing Kit, Includes Grey PVC
Edge Drain Valve with Plug and Chain
412 x 273 mm
White
Code: ALA-AG-STAHLFORM412




Grid for Cleaners Sink
Aluminium
Code: ALA-ALUROS-TAL



Wall Mounted Cleaners Sink
Material Thickness 0.9 mm
400 x 290 x 195 mm bowl
1 1/2" Flat Perforated Waste
Drainage Back Centric,
440 x 300 mm Splash Back
Includes Stainless Steel Grid with Rubber Bumps and Stainless Steel Screws and Dowels
Code: FRA-WB440C-SS

FLOOR DRAINS & CHANNELS

floor drains and channels





IX304

Shower Channel
with Standard Grating Insert
Stainless Steel Grade 304
Vertical Outlet Dia. 50 mm
Capacity - 30 l/m
Brushed Stainless Steel

200 x 35 mm
Code: AQD-IX3-200-C-SS

500 x 35 mm
Code: AQD-IX3-500-C-SS

700 x 35 mm
Code: AQD-IX3-700-C-SS

800 x 35 mm
Code: AQD-IX3-800-C-SS



IX304

Shower Channel with Tile Tray
Stainless Steel Grade 304
Vertical Outlet Dia. 50 mm
Capacity - 30 l/m
Brushed Stainless Steel

200 x 35 mm
Code: AQD-IX3-200-T-SS

500 x 35 mm
Code: AQD-IX3-500-T-SS

700 x 35 mm
Code: AQD-IX3-700-T-SS

800 x 35 mm
Code: AQD-IX3-800-T-SS



IX304

Optional Tile Tray
with Pre-fitted Natural
Marble Insert
Stainless Steel
(To be used with Shower Channel)

200 mm
Code: AQD-IX3-M200-TTI-BT
AQD-IX3-M200-TTI-CR
AQD-IX3-M200-TTI-BK

500 mm
Code: AQD-IX3-M500-TTI-BT
AQD-IX3-M500-TTI-CR
AQD-IX3-M500-TTI-BK

700 mm
Code: AQD-IX3-M700-TTI-BT
AQD-IX3-M700-TTI-CR
AQD-IX3-M700-TTI-BK

800 mm
Code: AQD-IX3-M800-TTI-BT
AQD-IX3-M800-TTI-CR
AQD-IX3-M800-TTI-BK



IX304

Optional Tile Tray
with Pre-fitted Natural
Mosaic Insert
Stainless Steel
(To be used with Shower Channel)

200 mm
Code: AQD-IX3-T200-TTI-BT
AQD-IX3-T200-TTI-CR
AQD-IX3-T200-TTI-BK

500 mm
Code: AQD-IX3-T500-TTI-BT
AQD-IX3-T500-TTI-CR
AQD-IX3-T500-TTI-BK

700 mm
Code: AQD-IX3-T700-TTI-BT
AQD-IX3-T700-TTI-CR
AQD-IX3-T700-TTI-BK

800 mm
Code: AQD-IX3-T800-TTI-BT
AQD-IX3-T800-TTI-CR
AQD-IX3-T800-TTI-BK

MARBLE FINISHES



Botticino



Carrara



Black


MOSAIC FINISHES




Botticino



Noche




Travertine



Premium Line Shower Channel
Vertical Outlet Dia. 50 mm
Stainless Steel Grade 304
without Water Trap
with Reversible Tile Tray for Dual
Installation
Capacity - 35 l/m
Stainless Steel

700 x 70 mm
Code: AQD-TG-700-SS

800 x 80 mm
Code: AQD-TG-800-SS



Premium Line Shower Channel
Horizontal Outlet Dia. 50 mm
Stainless Steel Grade 304
with Plastic 90° Bend
with Removable Plastic Trap
with Reversible Tile Tray for Dual
Installation
Capacity - 35 l/m
Stainless Steel

700 x 70 mm
Code: AQD-TG-705-SS

800 x 80 mm
Code: AQD-TG-805-SS



Shower Channel with Trap
Horizontal Outlet Dia. 50 mm
Stainless Steel Grade 304
Capacity - 35 l/m
Available in Chrome & Brushed
Stainless Steel

700 x 70 mm
Code: AQD-700H-CP
Code: AQD-700H-BS

800 x 80 mm
Code: AQD-800H-CP
Code: AQD-800H-BS

900 x 100 mm
Code: AQD-900H-CP
Code: AQD-900H-BS

Note: Adaptor available to suit DN50
pipe connection BDP-ADA-5052-A-GY



Shower Channel
Vertical Outlet Dia. 50 mm
Stainless Steel Grade 304
Spigot Length 100 mm
Capacity - 35 l/m
Brushed Stainless Steel

700 x 70 mm
Code: AQD-623-700-990

800 x 70 mm
Code: AQD-623-800-990

900 x 70 mm
Code: AQD-623-900-990

Note: Adaptor available to suit DN50
pipe connection BDP-ADA-5052-A-GY



Floor Drain Adaptor
(Metric to Imperial)
Grey
40 - 42 mm
Code: BDP-ADA-4042-A-GY

50 - 52 mm
Code: BDP-ADA-5052-A-GY




Heavy Duty Tile Drain
Stainless Steel Grade 304
2.0 mm Thick
Vertical Outlet Dia. 50 mm
Capacity - 35 l/m
Brushed Stainless Steel

96 x 96 mm
Code: AQD-TG-9650-BS

146 x 146 mm
Code: AQD-TG-14650-BS

196 x 196 mm
Code: AQD-TG-19650-BS

296 x 296 mm
Code: AQD-TG-29650-BS




Heavy Duty Tile Drain
Stainless Steel Grade 304
2.0 mm Thick
Vertical Outlet Dia. 100 mm
Capacity - 35 l/m
Brushed Stainless Steel


146 x 146 mm
Code: AQD-TG-146102-BS

196 x 196 mm
Code: AQD-TG-196102-BS

296 x 296 mm
Code: AQD-TG-296102-BS



Tile Drain
Vertical Outlet Dia. 74 mm
Capacity - 35 l/m
130 x 130 mm
Polished Stainless Steel
Code: AQD-FC051-F-SS




Tile Drain
Vertical Outlet Dia. 102 mm
Capacity - 35 l/m
130 x 130 mm
Polished Stainless Steel
Code: AQD-FC052-F-SS



Tile Drain Adapter
Silent-PP Bend 87.5° with Coupling
50 mm Diameter
Code: GEB-390-224-14-1

With Vertical Outlet Dia. 50 mm
Capacity - 35 l/m
100 x 100 mm
Polished Stainless Steel
Code: AQD-FC058-F-SS



floor drains and channels





Shower Drain
 Stainless Steel Grade 304
 with Anti-odour 25 mm Water Seal
 Includes Horizontal Adapter
 Outlet Dia. 40 mm
 Capacity - 30 l/m
 96 x 96 mm
 Polished Stainless Steel
 Code:AQD-12910-PS



Shower Drain with Trap (Low Height)
 Brushed Stainless Steel 304 Grating
 with Anti-odour 35 mm Water Seal
 with Removable Trap
 Horizontal Outlet Dia. 40 mm
 Capacity - 22 l/m
 105 x 105 mm
 Brushed Stainless Steel
 Code:AQD-413-LOW-BS

Chrome
 Code:AQD-413-LOW-CP

Note:Adaptor available to suit BS 1 1/2" pipe connection BDP-ADA-4042-A-GY



ABS Drain
 Brushed Stainless Steel 304 Grating
 with Anti-odour 35 mm Water Seal
 with Removable Trap
 Vertical Outlet Dia. 40 mm
 Capacity - 22 l/m
 105 x 105 mm
 Brushed Stainless Steel
 Code:AQD-612-ABS-BS



ABS Drain
 Brushed Stainless Steel 304 Grating
 with Anti-odour 35 mm Water Seal
 with Removable Trap
 Horizontal Outlet Dia. 40 mm
 Capacity - 22 l/m
 105 x 105 mm
 Brushed Stainless Steel
 Code:AQD-613-ABS-BS



ABS Drain
 Brushed Stainless Steel 304 Grating
 with Anti-odour 50 mm Water Seal
 with Removable Trap
 Vertical Outlet Dia. 50 mm
 Capacity - 25 l/m
 105 x 105 mm
 Brushed Stainless Steel
 Code:AQD-614-ABS-BS



ABS Drain
 Brushed Stainless Steel 304 Grating
 with Anti-odour 50 mm Water Seal
 with Removable Trap
 Horizontal Outlet Dia. 50 mm
 Capacity - 25 l/m
 105 x 105 mm
 Brushed Stainless Steel
 Code:AQD-615-ABS-BS



ABS Drain
 Brushed Stainless Steel 304 Grating
 with Anti-odour 35 mm Water Seal
 with Removable Trap
 Horizontal Outlet Dia. 40 mm
 Capacity - 20 l/m
 150 x 150 mm
 Brushed Stainless Steel
 Code:AQD-617-ABS-BS



ABS Drain
 Brushed Stainless Steel 304 Grating
 with Anti-odour 35 mm Water Seal
 with Removable Trap
 Vertical Outlet Dia. 50 mm
 Capacity - 25 l/m
 150 x 150 mm
 Brushed Stainless Steel
 Code:AQD-618-ABS-BS



Floor Drain Adaptor
 Grey
 40 - 42 mm (Metric to Imperial)
 Code:BDP-ADA-4042-A-GY
 50 - 52 mm (Metric to Imperial)
 Code:BDP-ADA-5052-A-GY



Floor/Shower Drain (2pc Set)
Vertical Outlet Dia. 50 mm
80 x 80 mm
Chrome Plated Brass
Code:AQD-DL0053-8X8-CP



Floor/Shower Drain (2pc Set)
Vertical Outlet Dia. 100 mm
150 x 150 mm
Chrome Plated Brass
Code:AQD-D61004-15X15-CP



Anti-odour Shower Drain
Vertical Outlet Dia. 55 mm
110 x 110 mm
Chrome Plated Brass
Code:AQD-55005-CP



Shower Drain
with Removable Trap
Vertical Outlet Dia. 76 mm
External Dia. 110 mm
Chrome Plated Brass
Code:AQD-55007-CP




Anti-odour Floor/Shower Drain
Vertical Outlet Dia. 40 mm
100 x 100 mm
Chrome Plated Brass
Code:AQD-55018-CP



Anti-odour Floor/Shower Drain
Stainless Steel Grade 304
Vertical Outlet Dia. 50 mm
100 x 100 mm
Stainless Steel
Code:AQD-206A-SS

floor drains and channels





Floor Drain with Trap
Stainless Steel Grade 304
with Anti-odour 30 mm Water Seal
Includes Horizontal Adapter
Outlet Dia. 50 mm
with 180° Rotatable ABS 90° Bend
Capacity - 30 l/m
146 x 146 mm
Polished Stainless Steel
Code: AQD-22914-PS



Floor Drain with Trap
Stainless Steel Grade 304
with Anti-odour 30 mm Water Seal
Includes Horizontal Adapter
Outlet Dia. 50 mm
with 180° Rotatable ABS 90° Bend
Capacity - 30 l/m
Dia. 150 mm
Polished Stainless Steel
Code: AQD-32915-ROUND-PS



Floor Drain with Trap
Stainless Steel Grade 304
with Anti-odour 50 mm Water Seal
with Removable Trap
Horizontal Outlet Dia. 50 mm
Capacity - 22 l/m
150 x 150 mm
Brushed Stainless Steel
Code: AQD-419-BS

Note: Adaptor available to suit BS 2" pipe connection BDP-ADA-5052-A-GY



Floor Drain with Trap (Low Height)
Stainless Steel Grade 304
with Anti-odour 35 mm Water Seal
with Removable Trap
Horizontal Outlet Dia. 40 mm
Capacity - 22 l/m
150 x 150 mm

Brushed Stainless Steel
Code: AQD-419-LOW-BS

Chrome
Code: AQD-419-LOW-CP

Note: Adaptor available to suit BS 1½" pipe connection BDP-ADA-4042-A-GY



Anti-odor Floor Drain
Stainless Steel Grade 304
with Non-Return Air Filter
Vertical Outlet Dia. 100 mm
150 x 150 mm
Polished Stainless Steel
Code: AQD-VER150-SV



Clean Out Floor Drain
with Lock Down and Seal
Vertical Outlet Dia. 100 mm
150 x 150 mm
Chrome Plated Brass
Code: AQD-DL0079-15X15-CP



Floor Drain
with Cover (3 pc set)
Chrome Plated Brass
Vertical Outlet Dia. 100 mm
150 x 150 mm
Code: AQD-DL0048-15X15-CP

Vertical Outlet Dia. 111 mm
200 x 200 mm
Code: AQD-DL0048-20X20-CP



Clean Out Floor Drain
Screwed Down and Seal
Stainless Steel Grade 304
Vertical Outlet Dia. 100 mm
150 x 150 mm

Polished Stainless Steel
Code: AQD-615COP-SS

Brushed Stainless Steel
Code: AQD-615COB-SS



Floor Drain
Screwed Down Grate
with Cover (3 pc set)
Stainless Steel Grade 304
Vertical Outlet Dia. 110 mm
150 x 150 mm

Polished Stainless Steel
Code: AQD-615P-SS

Brushed Stainless Steel
Code: AQD-615B-SS



Floor Drain
with Cover (3pc set)
Stainless Steel Grade 304
Vertical Outlet Dia. 134 mm
200 x 200 mm

Polished Stainless Steel
Code:AQD-620P-SS

Brushed Stainless Steel
Code:AQD-620B-SS



Floor Drain
with Pop-up Cover
Vertical Outlet Dia. 100 mm
150 x 150 mm
Polished Stainless Steel
Code:AQD-I 15P-SS




Floor Drain
with Cover (4 pc set)
Vertical Outlet Dia. 40 mm
95 x 95 mm
Chrome Plated Brass
Code:AQD-55003-CP

floor drains and channels



AQUAZONE

Need a digital version of this book?



Download all your favourite **AQUAZONE /BAGNODESIGN** catalogues for easy reference on your PC or Tablet.



PROJECTS - MIDDLE EAST AFRICA & ASIA

AQUAZONE LLC

P O Box 30871

Dubai, UAE

tel : +971 4 5076000

fax : +971 4 5076070

info@sanipexgroup.com

www.sanipexgroup.com

RETAIL OUTLETS

DUBAI | ABU DHABI | DOHA | RIYADH