COLLECTION: NOTION

PRODUCT CODE: IND-T148/2-NOT-BLK



DESCRIPTION:

minimum operating pressure 0.2 bar LP (shower) 1.0 bar MP (bath)

Tablet Notion vertical concealed 2 outlet 2 handle thermostatic shower valve with all-flow function wall mounted thermostatic cartridge V-001C-PLA diverter cartridge TAB-001G-DIV 2 x 3/4" female inlets 2 x 3/4" female outlets includes 3/4" - 1/2" adaptors supplied with mortar/tile guard min-max wall mount 75-100mm optimum installation depth 87mm

FINISH:


Brushed Black

MINIMUM OPERATING PRESSURE:

0.2 bar LP (shower) 1.0 bar MP (bath)

FLOW RATE AT 3.0 BAR FLOW PRESSURE:

32 l/min





tel: 01934 744466 email: sales@vado.com www.vado.com




taps | showering | accessories



TECHNICAL DRAWING

COLLECTION: NOTION


PRODUCT CODE: IND-T148/2-NOT-BLK





COLLECTION: INDIVIDUAL

PRODUCT CODE: IND-SQ/30-BLK



DESCRIPTION:

single function easy clean slim line square shower head 300mm (12")

minimum operating pressure 0.2 bar LP

FINISH:


Brushed Black

MINIMUM OPERATING PRESSURE:

0.2 bar LP

FLOW RATE AT 3.0 BAR FLOW PRESSURE:

24 L/min





tel: 01934 744466 email: sales@vado.com www.vado.com




taps | showering | accessories



TECHNICAL DRAWING

COLLECTION: INDIVIDUAL

PRODUCT CODE: IND-SQ/30-BLK





COLLECTION: INDIVIDUAL

PRODUCT CODE: IND-EFSA/SQ-BLK



DESCRIPTION:

shower arm square easy fit wall mounted

FINISH:

Brushed Black









TECHNICAL DRAWING

COLLECTION: INDIVIDUAL

PRODUCT CODE: IND-EFSA/SQ-BLK





COLLECTION: INDIVIDUAL

PRODUCT CODE: IND-SFMKWO/SQ-BLK



DESCRIPTION:

single function mini shower kit wall mounted with hose and bracket with integral outlet 1/2" inlet minimum operating pressure 1.0 bar MP

FINISH:


Brushed Black

MINIMUM OPERATING PRESSURE:

1.0 bar MP

FLOW RATE AT 3.0 BAR FLOW PRESSURE:

14 l/m









TECHNICAL DRAWING

COLLECTION: INDIVIDUAL

PRODUCT CODE: IND-SFMKWO/SQ-BLK

