
# SPECIFICATION SHEET

#### COLLECTION: TABLET ALTITUDE PRODUCT CODE: IND-T148/2-ALT-BG





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

Shower Valve VALVE TYPE Concealed ORIENTATION Vertical NUMBER OF OUTLETS 2 Outlet WITH ALL-FLOW FUNCTION Yes

SHOWER TYPE

WITH INTEGRATED DIVERTER No COMPATIBLE WITH STUDFAST Yes WITH BLEED VALVE FOR SYSTEM FLUSH ON INSTALLATION No WITH SHOWER KIT No

tel: 01934 744466 email: sales @vado.com www.vado.com

WHERE INSPIRATION FLOWS TAPS | SHOWERS | ACCESSORIES



# SPECIFICATION SHEET

#### COLLECTION: TABLET ALTITUDE PRODUCT CODE: IND-T148/2-ALT-BG

INCLUDES MORTAR / TILE GUARD

Yes

COMPATIBLE WITH EASY-FIX BRACKETS

No

WITH THERMOSTATIC TECHNOLOGY Yes

INSTALLATION TOLERANCES min-max wall mount 75-100mm optimum installation depth 87mm

CONNECTIONS / FITTINGS 2 x 3/4" female inlets 2 x 3/4" female outlets

SPARE PARTS thermostatic cartridge V-704-34S diverter cartridge FL-802-33/2MX

MOUNTING Wall Mounted

PLUMBING SYSTEM SUITABILITY Gravity System, Pumped System, Combination Boiler, Pressurised System

COLLECTION NAME Tablet Altitude

FINISH Bright Gold

MINIMUM OPERATING PRESSURE 0.2 Bar LP (Shower) / 1.0 Bar MP (Bath)

MAXIMUM OPERATING PRESSURE 5.0 Bar HP

tel: 01934 744466 email: sales @vado.com www.vado.com

WHERE INSPIRATION FLOWS



# SPECIFICATION SHEET

COLLECTION: TABLET ALTITUDE PRODUCT CODE: IND-T148/2-ALT-BG

GUARANTEE

15 Year Guarantee

tel: 01934 744466 email: sales @vado.com www.vado.com

WHERE INSPIRATION FLOWS TAPS | SHOWERS | ACCESSORIES

